

BOARD OF FIRE COMMISSIONERS

Tinton Falls Fire District #1

2 Volunteer Way

Tinton Falls, NJ 07753

Minutes of Regular Meeting of January 19, 2017

The meeting of the Board of Fire Commissioners was called to order by President Donohue at 7:31PM.

Board Attorney Richard Braslow advised the Board that all requirements of the Open Public Meeting Laws have been met. Pursuant to the Public Meetings Act of Chapter 231 Public Law 1975, adequate notice of this meeting has been given by advertising in the Coaster and Two River Times and by posting on the bulletin board in the Tinton Falls Borough Hall and placed on file with the Borough Clerk 48 hours prior to this meeting

Roll call: Donohue-present; Hawkins-excused; Bowles-present; Calvo-present; Costa-present and Richard Braslow, Esq.-present.

2017 Fire District Budget

Due to comments made by the NJ DCA, the fire district budget had to be amended to remove the expected revenue of the sale of apparatus and the removal of the line item to purchase a brush truck which needs to be done at a special referendum.

Budget Hearing

A motion to open the 2017 Fire District Budget Hearing was made by Commissioner Bowles and seconded by Calvo. No comments by the public were made.

A motion to close the 2017 Fire District Budget Hearing was made by Commissioner Bowles and seconded by Calvo.

Past Meeting Minutes

Due to not all district members being in a meeting, the previous three month's minutes were not approved.

A motion to approve the October 2016 Meeting minutes was made by Commissioner Costa and seconded by Commissioner Donohue

A motion to approve the November 2016 Meeting minutes was made by Commissioner Calvo and seconded by Commissioner Donohue

A motion to approve the December 2016 Meeting minutes was made by Commissioner Bowles and seconded by Commissioner Costa

Treasurers Report:

Motion to Accept Bills made by Commissioner Bowles, Seconded by Commissioner Costa. See attached report

PineBrook Chief's Report

Chief asked what equipment needs to be removed from 3-90, the commissioners advised that all loose equipment such as radios. Ground ladders can stay.

Chief asked for a clarification between a drill and training.

Chief Harris asked what type of vehicle will be replacing 3-90. Commissioners stated that that has not been decided upon yet, but the commissioners agreed that it most likely will not be another ladder.

Commissioner Comments:

Commissioner Costa stated that the fire companies made a good stop on Karen Drive and Lenape Woods recently and should be commended.

Resolutions

Resolution to remove David Spaulding as District QPA

Resolution to award contract for Workers Comp and Insurance to E&K Agency

Resolution to adopt fire district budget with amendments due to DCA comments.

A motion made by Commissioner Bowles for all resolutions and a second by Commissioner Calvo

Motion to adjourn the Regular Meeting was made by Commissioner Costa and second by Commissioner Bowles. Meeting was adjourned at 8:19 PM

Minutes taken and recorded by Andrew Calvo, Secretary

TINTON FALLS FIRE DISTRICT #1



Treasurer's Report January 19, 2017 Tinton Falls Fire District No. 1 Board of Fire Commissioner's

Bills of Note

Borough of Tinton Falls	Fuel	\$ 1,706.19
Edwards Tire	2-90/2-75 Tire Replacement	\$ 5,001.00
E&K Insurance	Package & Bond	\$14,302.25
Fire & Safety	2-85/2-75 Prev. Maint/CO Install	\$ 8,896.80
JCP&L	Electric	\$ 1,016.39
NJAWCO	Water Hydrants/Water Service	\$15,093.46
NJ Casualty	Premium Downpayment	\$ 8,646.00

Total Bill List \$66,246.11

Deposits

4 th Quarter Tax Bill	\$ 343,904.38
Verizon Refund	101.52
Bank Interest	51.31
Total Deposits	\$ 344,057.21

Balance in Checking Account as of 1/15/17	\$935,683.61
Balance in Money Market Account as of 1/15/17	\$630,057.09
	\$1,565,740.70

Of Note:

Insurance Policies Renewed, we will be credited approximately \$2000 for removal of pinebrooks old vehicle
Natural Gas Bill very very high

Check No.	Check Date	Vendor # Name	Payment Amt	Street 1 of Address to be printed on Check	Charge Account	Account Type	Status	Seq	Acct
PO #	Enc	Date Item Description			Description				
	01/18/17	AIRPO001 Airpower International		7303 River Road					
16-00398	12/26/16	1 208 VOLT TRANSFORMER	725.00	01-07-261-003	Expendi ture	Aprv	9	1	
				Maint. & Repai rs - Commi ssi onr					
16-00398	12/26/16	2 CONTROL CIRCUIT RELAY	115.00	01-07-261-003	Expendi ture	Aprv	10	1	
				Maint. & Repai rs - Commi ssi onr					
16-00398	12/26/16	3 HOURS LABOR	190.00	01-07-261-003	Expendi ture	Aprv	11	1	
				Maint. & Repai rs - Commi ssi onr					
16-00398	12/26/16	4 HOURS TRAVEL ROUNDTrip	285.00	01-07-261-003	Expendi ture	Aprv	12	1	
				Maint. & Repai rs - Commi ssi onr					
16-00398	12/26/16	5 HOUR LABOR - UNDER CONTRACT	95.00	01-07-261-003	Expendi ture	Aprv	13	1	
				Maint. & Repai rs - Commi ssi onr					
16-00398	12/26/16	6 EMERGENCY SERV-UNDER CNTRCT	285.00	01-07-261-003	Expendi ture	Aprv	14	1	
				Maint. & Repai rs - Commi ssi onr					
			935.00						
	01/18/17	ANDCA001 Andrew Calvo		68 Des Moines Court					
16-00394	12/26/16	1 REIMBURSEMENT FOR NTRK SWTCH	283.55	01-07-291-003	Expendi ture	Aprv	5	1	
				Nonbond Assets - Commi ssi oners					
17-00013	01/17/17	1 OFFICE SUITE RENEWAL	106.86	01-05-204-000	Expendi ture	Aprv	69	1	
				Offi ce Suppl i es					
			390.41						
	01/18/17	BBCPA001 BART & BART CPA		104 MAIN STREET					
16-00405	12/28/16	1 2017 BUDGET PREPARATION	1,907.00	01-05-201-000	Expendi ture	Aprv	27	1	
				Accounti ng					
			593.00	01-05-203-000	Expendi ture			2	
				Legal					
			2,500.00						
	01/18/17	BOROU001 Borough Of Tinton Falls		Attn. Finance					
17-00008	01/13/17	1 WAYSIDE FUEL	1,319.75	01-07-281-001	Expendi ture	Aprv	63	1	
				Fuel - Waysi de					
17-00008	01/13/17	2 PINEBROOK FUEL	386.44	01-07-281-001	Expendi ture	Aprv	64	1	
				Fuel - Waysi de					
			1,706.19						
	01/18/17	COOPE001 Cooper Electric Supply Co		42 Cindy Lane					
16-00413	12/19/16	1 GENERATOR MAINTENENCE - 362	315.60	01-07-261-002	Expendi ture	Aprv	38	1	
				Maint. & Repai rs - Pi nebrook					
16-00413	12/19/16	2 GENERATOR MAINTENENCE - 363	309.40	01-07-261-002	Expendi ture	Aprv	39	1	
				Maint. & Repai rs - Pi nebrook					
			625.00						
	01/18/17	CSS00001 CSS Inc.		94 Vanderburg RD.					
17-00004	01/13/17	1 SERVICE CALL	130.00	01-07-261-004	Expendi ture	Aprv	47	1	
				Maint. & Repai rs - Bui l di ng					
			130.00						
	01/18/17	EDWAR001 Edwards Tire Inc.		PO Box 704					

Check No. PO #	Check Date Enc Date	Vendor # Name Item Description	Payment Amt	Street 1 of Address to be printed on Check Charge Account Description	Account Type	Status	Seq	Acct
17-00007	01/13/17	1 REPAIR VALVE ON 285 - LABOR	72.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	50	1
17-00007	01/13/17	2 REPAIR VALVE ON 285 - PARTS	8.95	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	51	1
17-00007	01/13/17	3 REPAIR VALVE ON 285 - RPR CHRG	42.95	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	52	1
17-00007	01/13/17	4 TIRE REPLACEMENT 2-90 - TIRES	3,512.88	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	53	1
17-00007	01/13/17	5 TIRE REPLACEMENT 2-90 - SERVC	239.60	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	54	1
17-00007	01/13/17	6 TIRE REPLACEMENT 2-90 - LABOR	216.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	55	1
17-00007	01/13/17	7 TIRE REPLACEMENT 2-90 - SCRAP	80.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	56	1
17-00007	01/13/17	8 TIRE REPLACEMENT 2-90 - PARTS	71.60	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	57	1
17-00007	01/13/17	9 REPLACE TIRE 2-75 - TIRE	594.30	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	58	1
17-00007	01/13/17	10 REPLACE TIRE 2-75 - SRVC	29.95	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	59	1
17-00007	01/13/17	11 REPLACE TIRE 2-75 - SCRAP	10.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	60	1
17-00007	01/13/17	12 REPLACE TIRE 2-75 - LABOR	108.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	61	1
17-00007	01/13/17	13 REPLACE TIRE 2-75 - MILEAGE	15.00	01-07-261-001 Maint. & Repairs - Wayside	Expenditure	Aprv	62	1
			5,001.23					
01/18/17 EKINS001 E & K Insurance				PO Box 600				
17-00002	01/13/17	1 POLICY B6016410 - DISTRICT #1	1,071.00	01-07-256-000 Crime/Employee Dishonesty Bonds	Expenditure	Aprv	43	1
17-00002	01/16/17	2 POLICY B6016411 - PINEBROOK	741.00	01-07-256-000 Crime/Employee Dishonesty Bonds	Expenditure	Aprv	44	1
17-00002	01/16/17	3 POLICY B6016412 - WAYSIDE	741.00	01-07-256-000 Crime/Employee Dishonesty Bonds	Expenditure	Aprv	45	1
			2,553.00					
01/18/17 EKINS001 E & K Insurance				PO Box 600				
17-00014	01/18/17	1 POLICY R/O B6016410	11,749.25	01-07-255-000 Package Insurance	Expenditure	Aprv	70	1
			11,749.25					
01/18/17 FIREF001 FIREFIGHTER ONE LLC				34 WILSON DRIVE				
16-00349	11/12/16	1 FDXL100-10.5W - FIREDEX BOOTS	282.00	01-07-265-003 Mater. & Supplies - Commission	Expenditure	Aprv	1	1
16-00349	11/12/16	2 FDXL100-11W - FIREDEX BOOTS	282.00	01-07-265-003 Mater. & Supplies - Commission	Expenditure	Aprv	2	1
16-00349	11/12/16	3 FDXL100-11.5W - FIREDEX BOOTS	282.00	01-07-265-003 Mater. & Supplies - Commission	Expenditure	Aprv	3	1
16-00349	11/12/16	4 FDXL100-12W - FIREDEX BOOTS	282.00	01-07-265-003 Mater. & Supplies - Commission	Expenditure	Aprv	4	1
			1,128.00					

Check No. PO #	Check Date Enc Date	Vendor # Name Item Description	Payment Amt	Street 1 of Address to be printed on Check Charge Account Description	Account Type	Status	Seq	Acct
01/18/17 FIRES001 Fire & Safety Services				200 Ryan Street				
16-00402	12/28/16	1 36-2-85 PREVEN MAINT PARTS	818.81	01-07-261-001	Expendi ture	Aprv	21	1
				Mai nt. & Repai rs - Waysi de				
16-00402	12/28/16	2 36-2-85 PREVEN MAINT LABOR	1,653.00	01-07-261-001	Expendi ture	Aprv	22	1
				Mai nt. & Repai rs - Waysi de				
16-00402	12/28/16	3 36-2-75 PREVEN MAINT PARTS	1,069.32	01-07-261-001	Expendi ture	Aprv	23	1
				Mai nt. & Repai rs - Waysi de				
				01-07-265-003	Expendi ture			2
				Mater. & Suppl ies - Commi ssi on				
				01-07-297-000	Expendi ture			3
				Conti ngent				
16-00402	12/28/16	4 36-2-75 PREVEN MAINT LABOR	3,360.00	01-07-297-000	Expendi ture	Aprv	24	1
				Conti ngent				
16-00408	10/19/16	1 INSTALL WIRE AND COMETER 36367	7.68	01-07-261-002	Expendi ture	Aprv	30	1
				Mai nt. & Repai rs - Pi nebrook				
16-00408	10/19/16	2 INSTALL WIRE AND COMETER 36367	228.00	01-07-261-002	Expendi ture	Aprv	31	1
				Mai nt. & Repai rs - Pi nebrook				
16-00408	10/19/16	3 INSTALL WIRE AND COMETER 36366	31.29	01-07-261-002	Expendi ture	Aprv	32	1
				Mai nt. & Repai rs - Pi nebrook				
16-00408	10/19/16	4 INSTALL WIRE AND COMETER 36366	211.50	01-07-261-002	Expendi ture	Aprv	33	1
				Mai nt. & Repai rs - Pi nebrook				
			8,896.80					
01/18/17 GRAIN001 Grainger				Dept#862032372				
16-00400	12/26/16	1 FIRE EXTINGUISHER - 4T305	308.76	01-07-291-003	Expendi ture	Aprv	18	1
				Nonbond Assets - Commi ssi oners				
16-00400	12/26/16	2 FIRE EXTINGUISHER - 4T305	154.38	01-07-291-003	Expendi ture	Aprv	19	1
				Nonbond Assets - Commi ssi oners				
			463.14					
01/18/17 JCPL001 JCP&L				PO Box 3687				
17-00012	01/17/17	1 ELECTRIC SERVICE/2 VOL WAY	1,016.39	01-07-284-000	Expendi ture	Aprv	68	1
				El ectri ci ty				
			1,016.39					
01/18/17 MIDDLE002 MIDDLESEX COUNTY FIRE ACADEMY				1001 FIRE ACADEMY DRIVE				
16-00406	11/28/16	1 01-1601-16 - FIRE OFFICER 1	125.00	01-07-275-003	Expendi ture	Aprv	28	1
				Trai ni ng - Commi ssi oners				
			125.00					
01/18/17 MONOCO01 MONOC				4806 MEGILL ROAD				
16-00407	12/30/16	1 KYLE WILLIAMS EMT CLASS	1,372.00	01-07-297-000	Expendi ture	Aprv	29	1
				Conti ngent				
			1,372.00					
01/18/17 NJAFD001 NJ State Assoc. of Fire Dist.				% Harry Carter , Treasurer				
17-00006	01/13/17	1 2017 ANNUAL DUES	300.00	01-05-225-000	Expendi ture	Aprv	49	1
				Membershi p & Dues				
			300.00					
01/18/17 NJAME001 NJ American Water Co.				PO Box 371331				

Check No. PO #	Check Date Enc Date	Vendor # Name Item Description	Payment Amt	Street 1 of Address to be printed on Check Charge Account Description	Account Type	Status	Seq	Acct
16-00395	12/26/16	1 STATION 2 HYDRANT	79.76	01-07-287-000 Fire Hydrants	Expendi ture	Aprv	6	1
			79.76					
	01/18/17	NJAME001 NJ American Water Co.		PO Box 371331				
16-00396	12/26/16	1 STATION 2 WATER SERVICE	130.70	01-07-285-000 Water	Expendi ture	Aprv	7	1
			130.70					
	01/18/17	NJAME001 NJ American Water Co.		PO Box 371331				
16-00412	12/23/16	1 HYDRANT SERVICE	14,883.00	01-07-287-000 Fire Hydrants	Expendi ture	Aprv	37	1
			14,883.00					
	01/18/17	NJMI G001 NJ CASUALTY INSURANCE CO		WORKERS COMPENSATION				
17-00001	01/13/17	1 PREMI UM DOWNPAYMENT	8,646.00	01-07-102-000 Workers Compensation	Expendi ture	Aprv	42	1
			8,646.00					
	01/18/17	NJR00001 NJ Natural Gas Co.		PO Box 11743				
16-00411	12/27/16	1 70 HAMI LTON/GENERATOR	34.78	01-07-283-000 Gas	Expendi ture	Aprv	36	1
			34.78					
	01/18/17	NJR00001 NJ Natural Gas Co.		PO Box 11743				
17-00010	01/16/17	1 NAT GAS/2 VOL WAY	740.18	01-07-283-000 Natural Gas	Expendi ture	Aprv	65	1
			740.18					
	01/18/17	NOLZE001 Nol ze Garage Door		34 HENRY STREET				
16-00404	12/28/16	1 3 BUTTON PUSH BUTTON STATION	65.00	01-07-261-004 Mai nt. & Repai rs - Bui l di ng	Expendi ture	Aprv	25	1
16-00404	12/28/16	2 2 HOURS LABOR	300.00	01-07-261-004 Mai nt. & Repai rs - Bui l di ng	Expendi ture	Aprv	26	1
			365.00					
	01/18/17	PEBSF001 PEB'S FLOORS, LLC		PO Box 243				
17-00005	01/13/17	1 JANUARY CLEANING	300.00	01-07-261-004 Mai nt. & Repai rs - Bui l di ng	Expendi ture	Aprv	48	1
			300.00					
	01/18/17	RICHA001 Ri chard M Brasl ow		516 Fiel ders Ln.				
17-00011	01/16/17	1 PROFESSIONAL FEES	1,400.00	01-05-200-030 Legal	Expendi ture	Aprv	66	1
17-00011	01/16/17	2 VOTER REGISTRATION LIST	13.50	01-05-215-000 Elections	Expendi ture	Aprv	67	1
			1,413.50					
	01/18/17	RICOH001 Ri coh USA, Inc.		70 VALLEY STREAM PARKWAY				
16-00401	12/26/16	1 MAINTENENCE	136.00	01-07-265-003 Mater. & Suppl ies - Commi ssion	Expendi ture	Aprv	20	1
			136.00					

Check No. PO #	Check Date Enc Date	Vendor # Name Item Description	Payment Amt	Street 1 of Address to be printed on Check Charge Account Description	Account Type	Status	Seq	Acct
<hr/>								
16-00397	01/18/17 12/26/16	SHREW001 SHREWSBURY CARWASH 1 CAR WASH	78.85	901 SHREWSBURY AVE. 01-07-261-001 Maint. & Repairs - Wayside	Expendi ture	Aprv	8	1
			<hr/> 78.85					
16-00399	01/18/17 12/26/16	THENE001 The New Coaster 1 LEGAL NOTICE 12/15/16	15.50	1011 Main St. 01-05-223-000 Legal Notices	Expendi ture	Aprv	15	1
16-00399	12/26/16	2 LEGAL NOTICE 12/15/16	22.94	01-05-223-000 Legal Notices	Expendi ture	Aprv	16	1
16-00399	12/26/16	3 AFFIDAVIT FEE	10.00	01-05-223-000 Legal Notices	Expendi ture	Aprv	17	1
			<hr/> 48.44					
16-00414	01/18/17 12/31/16	TITAN001 TITAN, LLC 1 24/16.90Z FLAT	120.00	3430 SUNSET AVE 01-07-265-001 Mater. & Supplies - Wayside	Expendi ture	Aprv	40	1
16-00414	12/31/16	2 VEC CHARGE	1.95	01-07-265-001 Mater. & Supplies - Wayside	Expendi ture	Aprv	41	1
			<hr/> 121.95					
16-00409	01/18/17 09/29/16	TWOR1001 Two River Times 1 LEGAL NOTICE	4.96	75 WEST FRONT STREET 01-05-223-000 Legal Notices	Expendi ture	Aprv	34	1
			<hr/> 4.96					
17-00003	01/18/17 01/13/17	VERIZ001 Verizon of NJ 1 STATION 3 INTERNET	295.58	P.O. Box 4833 01-07-288-000 Cable-Internet	Expendi ture	Aprv	46	1
			<hr/> 295.58					
16-00410	01/18/17 12/23/16	VERIZ002 VERIZON WIRELESS 2 WIRELESS SERVICE	76.00	P.O. BOX 408 01-07-288-000 Cable-Internet	Expendi ture	Aprv	35	1
			<hr/> 76.00					
<hr/>								
Checks:	<u>Count</u> 32	<u>Line Items</u> 70	<u>Amount</u> 66,246.11					

There are NO errors or warnings in this listing.

Totals by Year-Fund					
Fund Description	Fund	Expend Total	Revenue Total	G/L Total	Total
GENERAL FUND APPROPRIATIONS	6-01	32,287.93	0.00	0.00	32,287.93
GENERAL FUND APPROPRIATIONS	7-01	33,958.18	0.00	0.00	33,958.18
Total Of All Funds:		66,246.11	0.00	0.00	66,246.11

Totals by Fund					
Fund Description	Fund	Expend Total	Revenue Total	G/L Total	Total
GENERAL FUND APPROPRIATIONS	01	66,246.11	0.00	0.00	66,246.11
Total Of All Funds:		66,246.11	0.00	0.00	66,246.11

G/L Posting Summary

Account	Description	Debi ts	Credi ts
01-101-01-001-001	Checki ng-Operati ng	380.00	66,626.11
01-204-55-000-000	Accounts Payabl e	66,626.11	380.00
Grand Total :		67,006.11	67,006.11

Range of Checking Accts: OPERATING to OPERATING Range of Check Ids: 8814 to 8845
Report Type: All Checks Report Format: Detail Check Type: Computer: Y Manual: Y Dir Deposit: Y

Check #	Check Date	Vendor	Amount Paid	Charge Account	Account Type	Reconciled/Void Contract	Ref Num
PO #	Item	Description					Seq Acct
8814	01/18/17	AIRP0001 Airpower International					304
16-00398	1	208 VOLT TRANSFORMER	725.00	01-07-261-003	Expenditure		9 1
				Maint. & Repairs - Commissioner			
16-00398	2	CONTROL CIRCUIT RELAY	115.00	01-07-261-003	Expenditure		10 1
				Maint. & Repairs - Commissioner			
16-00398	3	HOURS LABOR	190.00	01-07-261-003	Expenditure		11 1
				Maint. & Repairs - Commissioner			
16-00398	4	HOURS TRAVEL ROUNDTRIP	285.00	01-07-261-003	Expenditure		12 1
				Maint. & Repairs - Commissioner			
16-00398	5	HOUR LABOR - UNDER CONTRACT	95.00	01-07-261-003	Expenditure		13 1
				Maint. & Repairs - Commissioner			
16-00398	6	EMERGENCY SERV-UNDER CNTRCT	285.00	01-07-261-003	Expenditure		14 1
				Maint. & Repairs - Commissioner			
			935.00				
8815	01/18/17	ANDCA001 Andrew Calvo					304
16-00394	1	REIMBURSEMENT FOR NTRK SWTCH	283.55	01-07-291-003	Expenditure		5 1
				Nonbond Assets - Commissioners			
17-00013	1	OFFICE SUITE RENEWAL	106.86	01-05-204-000	Expenditure		69 1
				Office Supplies			
			390.41				
8816	01/18/17	BBCPA001 BART & BART CPA					304
16-00405	1	2017 BUDGET PREPARATION	1,907.00	01-05-201-000	Expenditure		27 1
				Accounting			
16-00405	1	2017 BUDGET PREPARATION	593.00	01-05-203-000	Expenditure		27 2
				Legal			
			2,500.00				
8817	01/18/17	BOROU001 Borough Of Tinton Falls					304
17-00008	1	WAYSIDE FUEL	1,319.75	01-07-281-001	Expenditure		63 1
				Fuel - Wayside			
17-00008	2	PINEBROOK FUEL	386.44	01-07-281-001	Expenditure		64 1
				Fuel - Wayside			
			1,706.19				
8818	01/18/17	COOPE001 Cooper Electric Supply Co					304
16-00413	1	GENERATOR MAINTENENCE - 362	315.60	01-07-261-002	Expenditure		38 1
				Maint. & Repairs - Pinebrook			
16-00413	2	GENERATOR MAINTENENCE - 363	309.40	01-07-261-002	Expenditure		39 1
				Maint. & Repairs - Pinebrook			
			625.00				
8819	01/18/17	CSS00001 CSS Inc.					304
17-00004	1	SERVICE CALL	130.00	01-07-261-004	Expenditure		47 1
				Maint. & Repairs - Building			
8820	01/18/17	EDWAR001 Edwards Tire Inc.					304
17-00007	1	REPAIR VALVE ON 285 - LABOR	72.00	01-07-261-001	Expenditure		50 1
				Maint. & Repairs - Wayside			

Check #	Check Date	Vendor	Amount Paid	Charge Account	Account Type	Reconciled/Void Contract	Ref Num	
PO #	Item	Description					Ref Seq	Acct
8820	Edwards	Tire Inc.						
	17-00007	2 REPAIR VALVE ON 285 - PARTS	8.95	01-07-261-001	Expenditure		51	1
				Maint. & Repairs - Wayside				
	17-00007	3 REPAIR VALVE ON 285 - RPR CHR	42.95	01-07-261-001	Expenditure		52	1
				Maint. & Repairs - Wayside				
	17-00007	4 TIRE REPLACEMENT 2-90 - TIRES	3,512.88	01-07-261-001	Expenditure		53	1
				Maint. & Repairs - Wayside				
	17-00007	5 TIRE REPLACEMENT 2-90 - SERVC	239.60	01-07-261-001	Expenditure		54	1
				Maint. & Repairs - Wayside				
	17-00007	6 TIRE REPLACEMENT 2-90 - LABOR	216.00	01-07-261-001	Expenditure		55	1
				Maint. & Repairs - Wayside				
	17-00007	7 TIRE REPLACEMENT 2-90 - SCRAP	80.00	01-07-261-001	Expenditure		56	1
				Maint. & Repairs - Wayside				
	17-00007	8 TIRE REPLACEMENT 2-90 - PARTS	71.60	01-07-261-001	Expenditure		57	1
				Maint. & Repairs - Wayside				
	17-00007	9 REPLACE TIRE 2-75 - TIRE	594.30	01-07-261-001	Expenditure		58	1
				Maint. & Repairs - Wayside				
	17-00007	10 REPLACE TIRE 2-75 - SRVC	29.95	01-07-261-001	Expenditure		59	1
				Maint. & Repairs - Wayside				
	17-00007	11 REPLACE TIRE 2-75 - SCRAP	10.00	01-07-261-001	Expenditure		60	1
				Maint. & Repairs - Wayside				
	17-00007	12 REPLACE TIRE 2-75 - LABOR	108.00	01-07-261-001	Expenditure		61	1
				Maint. & Repairs - Wayside				
	17-00007	13 REPLACE TIRE 2-75 - MILEAGE	15.00	01-07-261-001	Expenditure		62	1
				Maint. & Repairs - Wayside				
			5,001.23					
8821	01/18/17	EKINS001 E & K Insurance					304	
	17-00002	1 POLICY B6016410 - DISTRICT #1	1,071.00	01-07-256-000	Expenditure		43	1
				Crime/Employee Dishonesty Bonds				
	17-00002	2 POLICY B6016411 - PINEBROOK	741.00	01-07-256-000	Expenditure		44	1
				Crime/Employee Dishonesty Bonds				
	17-00002	3 POLICY B6016412 - WAYSIDE	741.00	01-07-256-000	Expenditure		45	1
				Crime/Employee Dishonesty Bonds				
			2,553.00					
8822	01/18/17	EKINS001 E & K Insurance					304	
	17-00014	1 POLICY R/O B6016410	11,749.25	01-07-255-000	Expenditure		70	1
				Package Insurance				
8823	01/18/17	FIREF001 FIREFIGHTER ONE LLC					304	
	16-00349	1 FDXL100-10.5W - FIREDEX BOOTS	282.00	01-07-265-003	Expenditure		1	1
				Mater. & Supplies - Commission				
	16-00349	2 FDXL100-11W - FIREDEX BOOTS	282.00	01-07-265-003	Expenditure		2	1
				Mater. & Supplies - Commission				
	16-00349	3 FDXL100-11.5W - FIREDEX BOOTS	282.00	01-07-265-003	Expenditure		3	1
				Mater. & Supplies - Commission				
	16-00349	4 FDXL100-12W - FIREDEX BOOTS	282.00	01-07-265-003	Expenditure		4	1
				Mater. & Supplies - Commission				
			1,128.00					

Check #	Check Date	Vendor	Amount Paid	Charge Account	Account Type	Reconciled/Void Contract	Ref Num
PO #	Item	Description					Ref Seq Acct
8824	01/18/17	FIRES001 Fire & Safety Services					304
16-00402	1	36-2-85 PREVEN MAINT PARTS	818.81	01-07-261-001	Expenditure		21 1
				Maint. & Repairs - Wayside			
16-00402	2	36-2-85 PREVEN MAINT LABOR	1,653.00	01-07-261-001	Expenditure		22 1
				Maint. & Repairs - Wayside			
16-00402	3	36-2-75 PREVEN MAINT PARTS	1,069.32	01-07-261-001	Expenditure		23 1
				Maint. & Repairs - Wayside			
16-00402	3	36-2-75 PREVEN MAINT PARTS	176.62	01-07-265-003	Expenditure		23 2
				Mater. & Supplies - Commission			
16-00402	3	36-2-75 PREVEN MAINT PARTS	1,340.58	01-07-297-000	Expenditure		23 3
				Contingent			
16-00402	4	36-2-75 PREVEN MAINT LABOR	3,360.00	01-07-297-000	Expenditure		24 1
				Contingent			
16-00408	1	INSTALL WIRE AND COMETER 36367	7.68	01-07-261-002	Expenditure		30 1
				Maint. & Repairs - Pinebrook			
16-00408	2	INSTALL WIRE AND COMETER 36367	228.00	01-07-261-002	Expenditure		31 1
				Maint. & Repairs - Pinebrook			
16-00408	3	INSTALL WIRE AND COMETER 36366	31.29	01-07-261-002	Expenditure		32 1
				Maint. & Repairs - Pinebrook			
16-00408	4	INSTALL WIRE AND COMETER 36366	211.50	01-07-261-002	Expenditure		33 1
				Maint. & Repairs - Pinebrook			
			8,896.80				
8825	01/18/17	GRAIN001 Grainger					304
16-00400	1	FIRE EXTINGUISHER - 4T305	308.76	01-07-291-003	Expenditure		18 1
				Nonbond Assets - Commissioners			
16-00400	2	FIRE EXTINGUISHER - 4T305	154.38	01-07-291-003	Expenditure		19 1
				Nonbond Assets - Commissioners			
			463.14				
8826	01/18/17	JCPL0001 JCP&L					304
17-00012	1	ELECTRIC SERVICE/2 VOL WAY	1,016.39	01-07-284-000	Expenditure		68 1
				Electricity			
8827	01/18/17	MIDDLE002 MIDDLESEX COUNTY FIRE ACADEMY					304
16-00406	1	01-1601-16 - FIRE OFFICER 1	125.00	01-07-275-003	Expenditure		28 1
				Training - Commissioners			
8828	01/18/17	MONOC001 MONOC					304
16-00407	1	KYLE WILLIAMS EMT CLASS	1,372.00	01-07-297-000	Expenditure		29 1
				Contingent			
8829	01/18/17	NJAFD001 NJ State Assoc. of Fire Dist.					304
17-00006	1	2017 ANNUAL DUES	300.00	01-05-225-000	Expenditure		49 1
				Memberships & Dues			
8830	01/18/17	NJAME001 NJ American Water Co.					304
16-00395	1	STATION 2 HYDRANT	79.76	01-07-287-000	Expenditure		6 1
				Fire Hydrants			
8831	01/18/17	NJAME001 NJ American Water Co.					304
16-00396	1	STATION 2 WATER SERVICE	130.70	01-07-285-000	Expenditure		7 1
				Water			

Check #	Check Date	Vendor	Amount Paid	Charge Account	Account Type	Reconciled/Void Contract	Ref Num
PO #	Item	Description					Ref Seq Acct
8832	01/18/17	NJAME001 NJ American Water Co.					304
16-00412	1	HYDRANT SERVICE	14,883.00	01-07-287-000 Fire Hydrants	Expenditure		37 1
8833	01/18/17	NJMI0001 NJ CASUALTY INSURANCE CO					304
17-00001	1	PREMIUM DOWNPAYMENT	8,646.00	01-07-102-000 Workers Compensation	Expenditure		42 1
8834	01/18/17	NJR00001 NJ Natural Gas Co.					304
16-00411	1	70 HAMILTON/GENERATOR	34.78	01-07-283-000 Gas	Expenditure		36 1
8835	01/18/17	NJR00001 NJ Natural Gas Co.					304
17-00010	1	NAT GAS/2 VOL WAY	740.18	01-07-283-000 Natural Gas	Expenditure		65 1
8836	01/18/17	NOLZE001 Nolze Garage Door					304
16-00404	1	3 BUTTON PUSH BUTTON STATION	65.00	01-07-261-004 Maint. & Repairs - Building	Expenditure		25 1
16-00404	2	2 HOURS LABOR	300.00	01-07-261-004 Maint. & Repairs - Building	Expenditure		26 1
			365.00				
8837	01/18/17	PEBSF001 PEB'S FLOORS, LLC					304
17-00005	1	JANUARY CLEANING	300.00	01-07-261-004 Maint. & Repairs - Building	Expenditure		48 1
8838	01/18/17	RICHA001 Richard M Braslow					304
17-00011	1	PROFESSIONAL FEES	1,400.00	01-05-200-030 Legal	Expenditure		66 1
17-00011	2	VOTER REGISTRATION LIST	13.50	01-05-215-000 Elections	Expenditure		67 1
			1,413.50				
8839	01/18/17	RICOH001 Ricoh USA, Inc.					304
16-00401	1	MAINTENENCE	136.00	01-07-265-003 Mater. & Supplies - Commission	Expenditure		20 1
8840	01/18/17	SHREW001 SHREWSBURY CARWASH					304
16-00397	1	CAR WASH	78.85	01-07-261-001 Maint. & Repairs - Wayside	Expenditure		8 1
8841	01/18/17	THENE001 The New Coaster					304
16-00399	1	LEGAL NOTICE 12/15/16	15.50	01-05-223-000 Legal Notices	Expenditure		15 1
16-00399	2	LEGAL NOTICE 12/15/16	22.94	01-05-223-000 Legal Notices	Expenditure		16 1
16-00399	3	AFFIDAVIT FEE	10.00	01-05-223-000 Legal Notices	Expenditure		17 1
			48.44				

Check #	Check Date	Vendor	Amount Paid	Charge Account	Account Type	Reconciled/Void Contract	Ref Num
PO #	Item	Description					Ref Seq Acct
8842	01/18/17	TITAN001 TITAN, LLC					304
16-00414	1	24/16.90Z FLAT	120.00	01-07-265-001	Expendi ture		40 1
				Mater. & Suppl ies - Wayside			
16-00414	2	VEC CHARGE	1.95	01-07-265-001	Expendi ture		41 1
				Mater. & Suppl ies - Wayside			
			121.95				
8843	01/18/17	TWOR1001 Two River Times					304
16-00409	1	LEGAL NOTICE	4.96	01-05-223-000	Expendi ture		34 1
				Legal Notices			
8844	01/18/17	VERI Z001 Verizon of NJ					304
17-00003	1	STATION 3 INTERNET	295.58	01-07-288-000	Expendi ture		46 1
				Cable-Internet			
8845	01/18/17	VERI Z002 VERIZON WIRELESS					304
16-00410	2	WIRELESS SERVICE	76.00	01-07-288-000	Expendi ture		35 1
				Cable-Internet			
<hr/>							
Report Totals			Paid	Void	Amount Paid	Amount	Void
		Checks:	32	0	66,246.11		0.00
		Direct Deposit:	0	0	0.00		0.00
		Total:	32	0	66,246.11		0.00

Totals by Year-Fund					
Fund Description	Fund	Expend Total	Revenue Total	G/L Total	Total
GENERAL FUND APPROPRIATIONS	6-01	32,287.93	0.00	0.00	32,287.93
GENERAL FUND APPROPRIATIONS	7-01	33,958.18	0.00	0.00	33,958.18
Total Of All Funds:		66,246.11	0.00	0.00	66,246.11

Totals by Fund					
Fund Description	Fund	Expend Total	Revenue Total	G/L Total	Total
GENERAL FUND APPROPRIATIONS	01	66,246.11	0.00	0.00	66,246.11
Total Of All Funds:		66,246.11	0.00	0.00	66,246.11

Fund Description	Fund	Current	Prior Rcvd	Pri or Open	Paid Pri or	Fund Total
GENERAL FUND APPROPRIATIONS	6-01	32,287.93	0.00	0.00	0.00	32,287.93
GENERAL FUND APPROPRIATIONS	7-01	33,958.18	0.00	0.00	0.00	33,958.18
Total Of All Funds:		66,246.11	0.00	0.00	0.00	66,246.11

Pine Brook Community Hose Co. 36-3

REPORTING MONTH:	Jan. 2017 for Dec. 2016
CALLS FOR PREVIOUS MONTH:	Dec. 2016 - 37
NFIRS SUBMITTED TO NJ DFS (Y/N):	Yes
MAJOR EVENTS TO REPORT: *Injuries *Member's Status	36-3-90 back at Pine Brook and still OOS

APPARATUS	STATUS	MILEAGE	HOURS	OTHER
36-3-66	In service	2486		
36-3-67	In service	32576		
36-3-76	In service	9966		
36-3-77	In service	14918		
36-3-90	Out/Service	8883		
36-3-93	In service	10870	1047	

NEW MEMBERS/ROSTER CHANGES:	N/A
TRAINING FROM PREVIOUS MONTH: **Please Note Instructor's Name**	N/A

Submitted by: Dwight Harris Signature: [Signature]
 Position: Chief

Report Must Be Submitted Monthly By Each Company At The Fire District Meeting

REPORTING MONTH:	January 2017
CALLS FOR PREVIOUS MONTH:	43
NFIRS SUBMITTED TO NJ DFS (Y/N):	Yes
MAJOR EVENTS TO REPORT: *Injuries *Member's Status	Joseph Keselica & Kurt Gibson passed FF1 final exam Craig Watkins re-registered for FF1 at Monmouth County Fire Academy

APPARATUS	STATUS	MILEAGE	HOURS	OTHER
36-2-66	I/S	7671		
36-2-67	OOS	UNKNOWN		DEAD BATTERY
36-2-75	I/S	34,788		
36-2-85	I/S	5601		
36-2-88	I/S	97,203		
36-2-90	I/S	21,940		
36-2-94	OOS	—		

NEW MEMBERS/ROSTER CHANGES:	
TRAINING FROM PREVIOUS MONTH: **Please Note Instructor's Name**	December RIT Drill

4 members registered for RIT awareness class at Middlesex Fire Academy

2 members registered for various classes at Monmouth County Fire Academy

RTK/BBP class at 36-2 January 22 9:00AM

Fit Test at 36-2 January 31 6:00PM

Submitted by: Howie Chervinsky-Chief

Report Must Be Submitted By Each Company Monthly at the Fire District Meeting

Use an additional sheet of paper if additional information is needed.

COUNTY OF MONMOUTH
OFFICE OF THE FIRE MARSHALL
MUTUAL AID RESPONSE PLAN – MULTIPLE ALARMS

FIRE STATION – DISTRICT: WAYSIDE FIRE COMPANY 36-2
HDQTS. STATION ADDRESS: 2 VOLUNTEER WAY TINTON FALLS, NJ 07753
HDQTS. STATION TELEPHONE: 732-493-4466
SUBMITTED BY: CHIEF HOWIE CHERVINSKY Date: 1-5-2017

General Alarms

Alarms	1 st Alarm	2 nd Alarm	3 rd Alarm	4 th Alarm	5 th Alarm
Engine	DIST. 36	36-2 36-3	37-1 11-1	36-4 35-1	M.C.
Ladder	DIST. 36	36-2	34-1	87-2	M.C.
Tankers			*DIST. 94	*DIST. 84	M.C.
Rescue / Cascade	36-2 36-1	36-2	36-1	37-2	M.C.
Cover Up			52-2	19-2	M.C.
RIT			83-1	DIST. 94 34-4	M.C.
Special			*MAB 2	*TINTON FALLS OEM REHAB	M.C.

SPECIAL RESPONSES (ADDITIONAL RESOURCES)

Water / Ice Rescue	DIST. 36 *83-1	36-2 36-1 *83-1	ANSWER TEAM	M.C.	M.C.
Brush	DIST. 36	36-2 36-3	36-1 36-4	M.C.	M.C.
Haz-Mat	DIST. 36	36-2 36-3	34-9 M.C. HAZ MAT	M.C.	M.C.
Special Services***	DIST. 36	36-2 36-3	DIST. 34 SPECIAL OPS	M.C.	M.C.

Other Information, special response plans, etc.:

Wayside Fire Company

Tinton Falls, NJ

This report was generated on 1/19/2017 5:58:32 PM



Incident Type Count per Shift for Date Range

Start Date: 12/01/2016 | End Date: 12/31/2016

INCIDENT TYPE	# INCIDENTS
111 - Building fire	4
131 - Passenger vehicle fire	1
322 - Motor vehicle accident with injuries	2
324 - Motor vehicle accident with no injuries.	1
412 - Gas leak (natural gas or LPG)	2
611 - Dispatched & cancelled en route	21
622 - No incident found on arrival at dispatch address	1
735 - Alarm system sounded due to malfunction	5
745 - Alarm system activation, no fire - unintentional	6
Total Incidents per Shift:	43
Total Sum of all Incidents:	43

Incident Type Count per Shift for Date Range on Reviewed Incidents

Wayside Fire Company

Tinton Falls, NJ

This report was generated on 1/3/2017 5:50:40 PM



Incident Type Count per Station for Date Range

Start Date: 01/01/2016 | End Date: 12/31/2016

INCIDENT TYPE	# INCIDENTS
Station: 362 - STATION 36-2	
100 - Fire, other	3
111 - Building fire	16
113 - Cooking fire, confined to container	4
118 - Trash or rubbish fire, contained	3
131 - Passenger vehicle fire	10
141 - Forest, woods or wildland fire	9
142 - Brush or brush-and-grass mixture fire	5
151 - Outside rubbish, trash or waste fire	1
200 - Overpressure rupture, explosion, overheat other	1
244 - Dust explosion (no fire)	1
251 - Excessive heat, scorch burns with no ignition	2
311 - Medical assist, assist EMS crew	1
322 - Motor vehicle accident with injuries	26
324 - Motor vehicle accident with no injuries.	16
352 - Extrication of victim(s) from vehicle	2
353 - Removal of victim(s) from stalled elevator	3
411 - Gasoline or other flammable liquid spill	5
412 - Gas leak (natural gas or LPG)	16
413 - Oil or other combustible liquid spill	2
424 - Carbon monoxide incident	5
440 - Electrical wiring/equipment problem, other	1
442 - Overheated motor	3
444 - Power line down	3
445 - Arcing, shorted electrical equipment	5
511 - Lock-out	1
520 - Water problem, other	2
522 - Water or steam leak	5
531 - Smoke or odor removal	6
555 - Defective elevator, no occupants	1
571 - Cover assignment, standby, moveup	1

Only REVIEWED incidents included.

INCIDENT TYPE	# INCIDENTS
600 - Good intent call, other	11
611 - Dispatched & cancelled en route	149
621 - Wrong location	1
622 - No incident found on arrival at dispatch address	13
650 - Steam, other gas mistaken for smoke, other	6
651 - Smoke scare, odor of smoke	9
653 - Smoke from barbecue, tar kettle	2
710 - Malicious, mischievous false call, other	2
714 - Central station, malicious false alarm	1
730 - System malfunction, other	1
731 - Sprinkler activation due to malfunction	2
733 - Smoke detector activation due to malfunction	1
734 - Heat detector activation due to malfunction	1
735 - Alarm system sounded due to malfunction	106
740 - Unintentional transmission of alarm, other	18
741 - Sprinkler activation, no fire - unintentional	3
743 - Smoke detector activation, no fire - unintentional	13
744 - Detector activation, no fire - unintentional	1
745 - Alarm system activation, no fire - unintentional	70
746 - Carbon monoxide detector activation, no CO	19

Incidents for 362 - Station 36-2:

588

Only REVIEWED incidents included.

Wayside Fire Company

Tinton Falls, NJ



This report was generated on 1/3/2017 5:44:01 PM

Basic Incident Info for Incident Type

Incident Type(s): All Incident Types | Start Date: 01/01/2016 | End Date: 12/31/2016

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
01/03/2016	2016-1	16-003675	MM1040 GSP LOC NB	Overheated vehicle, no fire.	362 - Station 36-2	
01/05/2016	2016-2	16-005466	3230 SHAFTO RD	Alarm set off due to power outage	362 - Station 36-2	
01/05/2016	2016-3	16-005676	1 PREMIUM OUTLETS BLVD 287	Broken sprinkler head due to construction. Shut down sprinkler system to unit 287.	362 - Station 36-2	
01/05/2016	2016-4	16-005788	3004 ESSEX RD	Alarm set off due to dust from construction	362 - Station 36-2	
01/05/2016	2016-5	16-006129	13 ST PAUL CT	Faulty detector, removed detector and advise homeowner to replace.	362 - Station 36-2	
01/06/2016	2016-6	16-007256	3000 ESSEX RD	Unintentional alarm by alarm company working on system.	362 - Station 36-2	
01/06/2016	2016-7	16-007656	16 SECRETARIAT CT	Cancelled en route	362 - Station 36-2	
01/06/2016	2016-8	16-007809	6000 ASBURY AVE	Broken sprinkler drain pipe, shut drain pipe, system still active.	362 - Station 36-2	
01/06/2016	2016-9	16-008023	929 SYCAMORE AVE	Cancelled en route	362 - Station 36-2	
01/07/2016	2016-10	16-008992	600 HOPE RD	unintentional alarm activated by maintenance	362 - Station 36-2	
01/07/2016	2016-11	16-009345	11 HORICON DR	Alarm activated by homeowner during construction	362 - Station 36-2	
01/08/2016	2016-12	16-010576	MM1060 GSP EXP SB	Did not respond due to lack of manpower	362 - Station 36-2	
01/10/2016	2016-13	16-012856	2 MICHAEL DR	Vacant unit, unknown alarm malfunction, alarm panel inoperative	362 - Station 36-2	
01/10/2016	2016-14	16-013140	864 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
01/10/2016	2016-15	16-013714	3230 SHAFTO RD	Sprinkler system malfunction	362 - Station 36-2	
01/10/2016	2016-16	16-014215	990 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
01/11/2016	2016-17	16-014429	3000 ESSEX RD 514	Alarm due to unattended cooking	362 - Station 36-2	
01/12/2016	2016-18	16-015667	600 HOPE RD	Faulty detector, negative readings.	362 - Station 36-2	
01/12/2016	2016-19	16-016361	524 WARDELL RD	Unintentional activation per 36-3-66	362 - Station 36-2	
01/12/2016	2016-20	16-016540	WILLSHIRE	Cancelled en route	362 - Station 36-2	
01/12/2016	2016-21	16-016724	2107 AUTUMN DR	Alarm due to smoke from cooking.	362 - Station 36-2	
01/12/2016	2016-22	16-016873	1028 WAYSIDE RD	Faulty detector in learning center, reset alarm.	362 - Station 36-2	
01/13/2016	2016-23	16-018544	3230 SHAFTO RD	Alarm malfunction in sprinkler system	362 - Station 36-2	
01/13/2016	2016-24	16-018563	2 MICHAEL DR	Vacant unit, unknown alarm malfunction, alarm panel inoperative	362 - Station 36-2	
01/13/2016	2016-25	16-018598	2 MICHAEL DR	Vacant unit, unknown alarm malfunction, alarm panel inoperative	362 - Station 36-2	
01/13/2016	2016-26	16-018615	2 MICHAEL DR	Vacant unit, unknown alarm malfunction, alarm panel inoperative	362 - Station 36-2	
01/14/2016	2016-27	16-018859	3230 SHAFTO RD	Alarm set off unintentionally by alarm company working on system	362 - Station 36-2	
01/14/2016	2016-31	16-019275	1104 State Route 35	Dispatched for RIT--Cancelled en route as per command	362 - Station 36-2	
01/15/2016	2016-28	16-020352	MM1077 GSP LOC NB	Cancelled per 36-3-66, no FD units needed.	362 - Station 36-2	
01/16/2016	2016-29	16-022055	21 PINTO DR	Homeowner had odor of smoke from dryer and secured gas/power to dryer. FD removed dryer to check with TIC with no extension found.	362 - Station 36-2	
01/17/2016	2016-30	16-023474	92 WIGWAM LN	Cancelled en route	362 - Station 36-2	
01/18/2016	2016-32	16-024868	11 RICHMOND CT	Alarm activated due to smoke from toaster oven. Vented unit and reset alarm.	362 - Station 36-2	
01/18/2016	2016-33	16-025155	2832 W BANGS AVE	RIT Assignment, cancelled en route	362 - Station 36-2	
01/18/2016	2016-34	16-025493	179 CLOVERDALE CIR	Cancelled en route	362 - Station 36-2	
01/19/2016	2016-35	16-025860	5298 ASBURY AVE	Heat detector malfunction	362 - Station 36-2	
01/19/2016	2016-36	16-026255	3092 SHAFTO RD 3	Alarm malfunction-unfounded.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 1 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
01/19/2016	2016-37	16-026365	183 CLOVERDALE CIR	Cancelled en route	362 - Station 36-2	
01/19/2016	2016-38	16-027035	6 ROSLYN DR	Heat detector malfunction	362 - Station 36-2	
01/20/2016	2016-39	16-027327	MM1040 GSP LOC NB	Dispatched for MVA, cancelled en route as per NJSP	362 - Station 36-2	
01/20/2016	2016-40	16-027348	1115 PINE BROOK RD	Alarm malfunction	362 - Station 36-2	
01/20/2016	2016-41	16-028454	72 CLEARVIEW DR	CO Alarm, cancelled en route	362 - Station 36-2	
01/21/2016	2016-42	16-029580	72 SECRETARIAT CT	CO Alarm, cancelled en route	362 - Station 36-2	
01/21/2016	2016-43	16-029708	ASBURY AVE	3 Vehicle MVA, assist EMS and apply speedy dry. MA from District 34 due to proximity to border.		
01/21/2016	2016-44	16-029998	23 PHOENIX CT	Vehicle #1 Honda CRV NJ-M75-DUG	362 - Station 36-2	
01/21/2016	2016-45	16-030054	185 CHEYENNE ST	Vehicle #2 Range Rover LR2 NJ YPA-47G		
01/22/2016	2016-46	16-030905	524 WARDELL RD	Vehicle #3 Chevy School Bus (Durham School Services) NJ S2-K231		
01/22/2016	2016-47	16-030980	6000 ASBURY AVE	Faulty CO detector, negative readings.	362 - Station 36-2	
01/22/2016	2016-48	16-031311	46 PARK RD	Faulty CO detector, negative readings.	362 - Station 36-2	
01/23/2016	2016-49	16-031890	56 PARK RD	Alarm activated due to unattended cooking.	362 - Station 36-2	
01/23/2016	2016-50	16-032226	1147 GREEN GROVE RD	Alarm activated due to exhaust fan.	362 - Station 36-2	
01/23/2016	2016-51	16-032242	PINE	Odor of smoke was traced to faulty ballast. Advised to notify electrician.	362 - Station 36-2	
01/23/2016	2016-52	16-032383	27 PERIWINKLE CIR	Dispatched for power lines down, scene TOT Ocean Twp as it is in their district.	362 - Station 36-2	
01/23/2016	2016-53	16-032420	32 WISTERIA CT	Primary wire down, notify JCPL. PD arrived and scene TOT TFPD.	362 - Station 36-2	
01/23/2016	2016-54	16-032857	3000 ESSEX RD	CO Alarm activated due to power outage, negative readings.	362 - Station 36-2	
01/23/2016	2016-55	16-033085	3004 ESSEX RD	CO Alarm activated due to power outage, negative readings.	362 - Station 36-2	
01/23/2016	2016-56	16-033400	3002 ESSEX RD	FD crews investigated fire alarm and found alarm activated due to jammed service elevator. Secure power to service elevator and notify management to call elevator repair.	362 - Station 36-2	
01/24/2016	2016-57	16-033714	3002 ESSEX RD	Elevator repair arrived as FD was securing	362 - Station 36-2	
01/24/2016	2016-58	16-033937	MM1050 GSP EXP SB	Alarm activated due to smoke from cooking	362 - Station 36-2	
01/24/2016	2016-59	16-034621	3002 ESSEX RD	Broken sprinkler head in freezer. Shut and drain system and notify maintenance. Advise management to perform fire watch until system is restored.	362 - Station 36-2	
01/24/2016	2016-60	16-034663	6000 ASBURY AVE	Waterflow alarm malfunction.	362 - Station 36-2	
01/24/2016	2016-61	16-034793	11 CENTRE PLZ	Overheated engine mistaken for vehicle fire.	362 - Station 36-2	
01/24/2016	2016-62	16-034837	MM1055 GSP LOC SB	Waterflow alarm malfunction.	362 - Station 36-2	
01/25/2016	2016-63	16-035135	3297 State Route 66	Exterior odor of natural gas which had dissipated. Scene TOT NJNG with no FD action needed/taken.	362 - Station 36-2	
01/25/2016	2016-64	16-035461	276 SHARK RIVER RD	Dispatched for MVA/fluids, cancelled en route and handled by 36-1	362 - Station 36-2	
01/25/2016	2016-65	16-035811	26 FRONTIER WAY	Cancelled en route	362 - Station 36-2	
01/26/2016	2016-66	16-037028	6000 ASBURY AVE	Alarm malfunction-handled by 36-1	362 - Station 36-2	
01/26/2016	2016-67	16-037430	6000 ASBURY AVE	Outdoor odor of gas, unfounded. Scene TOT NJNG.	362 - Station 36-2	
01/26/2016	2016-68	16-037504	MM1058 GSP LOC NB	Broken sprinkler pipe.	362 - Station 36-2	
01/29/2016	2016-69	16-041499	31 STRATFORD RD	Waterflow alarm malfunction		
01/29/2016	2016-70	16-042050	3092 SHAFTO RD	1 Vehicle overturned MVA. Occupant self extricated, FD secured battery and cleared scene.	362 - Station 36-2	
01/30/2016	2016-71	16-042916	6 ROSLYN DR	Toyota Camry NJ G72-ENK.		
01/30/2016	2016-72	16-042947	3092 SHAFTO RD 1	Cancelled en route.	362 - Station 36-2	
01/30/2016	2016-73	16-043598	119 SWIMMING RIVER RD	Alarm malfunction	362 - Station 36-2	
				Unintentional-set off by fireplace.		
				Alarm malfunction. Alarm OOS until Monday.		
				Fire alarm, cancelled en route		

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 2 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
01/30/2016	2016-74	16-043695	3230 SHAFTO RD	Alarm malfunction, reset prior to FD arrival.	362 - Station 36-2	
01/31/2016	2016-75	16-045045	REEDS	MVA, cancelled en route.	362 - Station 36-2	
02/01/2016	2016-76	16-046263	3211 SHAFTO RD	Cancelled en route per TFPD	362 - Station 36-2	
02/01/2016	2016-77	16-046603	MM1034 GSP LOC SB	MVA, fuel leak. Apply speedy dry to vehicle that punctured fuel tank after hitting object in the roadway.	362 - Station 36-2	
02/01/2016	2016-78	16-046634	MM1034 GSP LOC SB	NJSP on scene was not aware FD was on scene prior. No FD response needed.	362 - Station 36-2	
02/03/2016	2016-79	16-049155	1076 WAYSIDE RD	Alarm activated due to unattended cooking	362 - Station 36-2	
02/04/2016	2016-80	16-051172	1028 WAYSIDE RD	Alarm malfunction	362 - Station 36-2	
02/04/2016	2016-81	16-051582	18 TOOMIN DR	Provide RIT services with no action needed.	362 - Station 36-2	
02/04/2016	2016-82	16-051623	719 JOHN TER	Handled by 36-1-78	362 - Station 36-2	
02/05/2016	2016-83	16-052570	1115 PINE BROOK RD	Alarm malfunction as per 36-30	362 - Station 36-2	
02/05/2016	2016-84	16-052814	79 ROSLYN DR	<p>Dispatched for reported structure fire, and upon arrival of 36-30, a 2nd alarm was transmitted due to the heavy smoke condition and visible fire. After securing a water supply (approximately 60 feet from the involved structure), the crew from 36-2-75 attempted an aggressive interior attack, but were forced to back out due to the heavy volume of fire burning through the roof and the integrity of the 2nd floor and roof being compromised. 36-2-90 arrived and assisted 36-2-75 with stretching exterior hand lines and setting up deluge guns on the exterior of the alpha and charlie sides of the structure. 36-1-78 and 36-3-76 arrived and established another water supply at the corner of Cranberry Drive and Cannonball Drive. Both engines supplied water to 36-2-90 to supply the ladder pipe. 36-2-90 then placed the ladder pipe into service to division 2. The fire was placed under control at 1624 hours. At that time, crews started overhaul and were only able to access the garage area as the structural integrity of the rest of the house was compromised and deemed unsafe to enter. Crews checked for pockets of fire and extinguished all visible pockets of fire from the exterior. Fire was extinguished and crews cleared the scene at 1836 hours.</p> <p>Mutual aid to scene: 36-1, 36-3, 37-2. RIT team from 34-4. EMS 36-22, 36-23, MAB2, 34-1 covered 36-2 84-1 covered 36-3.</p> <p>Utilities: JCP&L, NJNG, NJAWC.</p> <p>Fire is under investigation by Tinton Falls Fire Marshals Office (36-30).</p>	362 - Station 36-2	
02/07/2016	2016-85	16-055925	16 RED FOX CT	Unintentional by homeowner via keypad	362 - Station 36-2	
02/07/2016	2016-86	16-055985	700 HOPE RD 203	Set off by smoking in Bridal Suite	362 - Station 36-2	
02/10/2016	2016-87	16-059058	700 HOPE RD	Unintentional, handled by 36-3	362 - Station 36-2	
02/10/2016	2016-88	16-059304	700 HOPE RD	Unintentional, handled by 36-3	362 - Station 36-2	
02/11/2016	2016-89	16-061143	3230 SHAFTO RD	Alarm malfunction, handled by 36-1	362 - Station 36-2	
02/12/2016	2016-90	16-063130	SQUANKUM RD	Arming wires--Close roadway and scene TOT JCP&L.	362 - Station 36-2	
02/13/2016	2016-91	16-064012	2 CAVALIERE CT	Assist with lock out from home. Ladder division 2 to access patio door and unlock front door for homeowner.	362 - Station 36-2	
02/13/2016	2016-92	16-064046	3000 ESSEX RD	Alarm activated due to unattended cooking	362 - Station 36-2	
02/13/2016	2016-93	16-064163	3000 ESSEX RD	Detector malfunction	362 - Station 36-2	
02/13/2016	2016-94	16-064504	1115 PINE BROOK RD	Heat detector malfunction.	362 - Station 36-2	
02/13/2016	2016-95	16-064939	3000 ESSEX RD Northshore	Alarm malfunction, water flow alarm, water meter room on division 1.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 3 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
02/14/2016	2016-96	16-065455	6000 ASBURY AVE	Alarm malfunction--water flow alarm.	362 - Station 36-2	
02/14/2016	2016-97	16-066048	16 HARTSHORNE RD	Provided RIT services with no action taken.	362 - Station 36-2	
02/15/2016	2016-98	16-067571	5298 ASBURY AVE	Waterflow alarm malfunction.	362 - Station 36-2	
02/15/2016	2016-99	16-067586	16 TERRIER CT	Gain access to #14 to secure water main due to leak into #16.	362 - Station 36-2	
02/16/2016	2016-100	16-067708	1861 WAYSIDE RD	Waterflow alarm malfunction	362 - Station 36-2	
02/16/2016	2016-101	16-067905	54 SAN ANITA DR	Water leaking into #54 due to broken pipe in #58. Secured water and power to #58	362 - Station 36-2	
02/17/2016	2016-102	16-069427	63 DOVER CT	CO alarm, with negative readings.	362 - Station 36-2	
02/17/2016	2016-103	16-069702	1202 SYCAMORE AVE	Handled by 36-1	362 - Station 36-2	
02/18/2016	2016-104	16-070946	4261 State Route 33	Set off due to cooking	362 - Station 36-2	
02/18/2016	2016-105	16-071787	620 TINTON AVE	Elevator alarm with no occupants	362 - Station 36-2	
02/19/2016	2016-106	16-072916	1202 SYCAMORE AVE	Alarm, handled by 36-1	362 - Station 36-2	
02/21/2016	2016-107	16-076369	2 SOCIETY HILL WAY	Cancelled en route	362 - Station 36-2	
02/21/2016	2016-108	16-078460	6 DAWN CT	Standby 36-2 for suspicious package. Invest by PD and found to be a piece of rubbish.	362 - Station 36-2	
02/22/2016	2016-109	16-077264	6 RUNNING BROOK DR	Assist with smoke condition and found to be coming from smoking HVAC motor.	362 - Station 36-2	
02/22/2016	2016-110	16-077331	MM1049 GSP LOC SB	Overturned with occupant self extricated. No FD action needed.	362 - Station 36-2	
02/23/2016	2016-111	16-078519	MM1050 GSP LOC NB	Unfounded vehicle fire at 105. Fire was at 107.4 in 36-1 area.	362 - Station 36-2	
02/23/2016	2016-112	16-078520	MM1074 GSP LOC NB	Assist 36-1 with extinguishment and overhaul of vehicle fire	362 - Station 36-2	
02/23/2016	2016-113	16-078563	6000 ASBURY AVE	Contractor struck 6" gas main. NJNG secured gas.	362 - Station 36-2	
02/24/2016	2016-114	16-080952	ASBURY AVE	Dispatched for power line down, found fabric fence blowing in wind.	362 - Station 36-2	
02/24/2016	2016-115	16-081064	62 HOPE RD	Arcing power lines, handled by 36-1	362 - Station 36-2	
02/24/2016	2016-116	16-081072	38 DOVER CT	Negative readings, faulty detector.	362 - Station 36-2	
02/25/2016	2016-117	16-081915	5298 ASBURY AVE	Smoke detector malfunction	362 - Station 36-2	
02/25/2016	2016-118	16-082885	700 HOPE RD 416	Smoke detector malfunction, rm 416.	362 - Station 36-2	
02/26/2016	2016-119	16-084071	25 HOPE RD	Dryer fire, cancelled en route.	362 - Station 36-2	
02/27/2016	2016-120	16-085818	30 LELAND TER	Fire alarm, cancelled en route.	362 - Station 36-2	
02/28/2016	2016-121	16-087234	2 CENTRE PLZ	Subject removed from elevator prior to FD arrival. Secured power to elevator #1	362 - Station 36-2	
02/28/2016	2016-122	16-087407	35 MADISON CT	Oven fire contained to cardboard box inside oven. Knocked down with extinguisher and unit was ventilated.	362 - Station 36-2	
02/29/2016	2016-124	16-088971	112 MILL LN	Gas odor due to resident failed to turn stove off completely. No odor/readings upon FD arrival	362 - Station 36-2	
02/29/2016	2016-123	2016-123	2107 Bradley AVE	RIT Assignment, cancelled en route.	362 - Station 36-2	
03/02/2016	2016-125	16-090890	108 CLEARVIEW DR	Odor of smoke, handled by 36-1	362 - Station 36-2	
03/02/2016	2016-126	16-091050	3230 SHAFTO RD	Waterflow alarm malfunction	362 - Station 36-2	
03/03/2016	2016-127	16-092888	3000 ESSEX RD	Alarm due to cooking.	362 - Station 36-2	
03/03/2016	2016-128	16-092956	MM1051 GSP EXP NB	MVA, Cancelled en route by 36-3-58.	362 - Station 36-2	
03/03/2016	2016-129	16-093855	90 PARK RD	Small mulch fire near "B" side of building, extinguished with handheld.	362 - Station 36-2	
03/04/2016	2016-130	16-095028	6000 ASBURY AVE	Waterflow alarm malfunction. 93-4 notified.	362 - Station 36-2	
03/06/2016	2016-131	16-097213	103.5 GSP Southbound	Overheating vehicle.	362 - Station 36-2	
03/06/2016	2016-132	16-097321	4060 ASBURY AVE A	Unintentional fire alarm V/A key switch by employee	362 - Station 36-2	
03/07/2016	2016-133	16-098601	632 WAYSIDE RD	Dispatched for RIT and was advised to standby in quarters.	362 - Station 36-2	
03/07/2016	2016-134	16-099423	4001 ASBURY AVE	Dispatched for arcing wires, check area/unfounded.	362 - Station 36-2	
03/09/2016	2016-135	16-101480	MM1007 GSP LOC NB	Single car MVA with vehicle into woods with 1 occupant out of the vehicle. Invest and found no injuries/hazards. Scene TOT NJSP.	362 - Station 36-2	
03/10/2016	2016-136	16-103684	500 ESSEX RD	RIT assignment with no action needed.	362 - Station 36-2	
03/13/2016	2016-137	16-107918	4001 ASBURY	Stand by for arcing wires, scene TOT JCP&L.	362 - Station 36-2	
03/13/2016	2016-138	16-108670	11 FAIRFIELD DR	Cancelled en route.	362 - Station 36-2	
03/14/2016	2016-139	16-109070	44 BISMARCK ST	Odor due to garage heating unit, handled by 36-1	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 4 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
03/17/2016	2016-140	16-113910	235 HOPE RD	Alarm malfunction.	362 - Station 36-2	
03/17/2016	2016-141	16-113953	700 HOPE RD	Dispatched for knox box opening, advised to contact TF Fire Marshal	362 - Station 36-2	
03/18/2016	2016-142	16-115184	7 FORREST CT	Alarm malfunction, handled by 36-1	362 - Station 36-2	
03/18/2016	2016-143	16-115246	3230 SHAFTO RD	MVA vehicle Vs. dump truck. All extrication/rescue handled by 36-1 due to limited manpower at that time. 36-2-75 responded for fire protection during extrication process.	362 - Station 36-2	
03/20/2016	2016-144	16-118428	MM1052 GSP LOC NB	2 Car MVA with 1 minor facial injury. Assist EMS and scene TOT EMS and NJSP.	362 - Station 36-2	
03/22/2016	2016-145	16-121141	23 ABBY RD	Unintentional activation by contractors on scene	362 - Station 36-2	
03/22/2016	2016-146	16-122114	44 PINE ST	Alarm set off due to spray painting by contractors on location.	362 - Station 36-2	
03/23/2016	2016-147	16-123350	30 LELAND TER	Cancelled en route, unattended cooking	362 - Station 36-2	
03/24/2016	2016-148	16-124202	SHAFTO RD	Reported outdoor smoke condition, checked area, unfounded.	362 - Station 36-2	
03/24/2016	2016-149	16-124277	39 SUN BEAU CT	Faulty CO detector.	362 - Station 36-2	
03/24/2016	2016-150	16-124475	235 HOPE RD	Alarm company on scene testing alarm	362 - Station 36-2	
03/25/2016	2016-151	16-125236	3004 ESSEX RD	Waterflow alarm malfunction	362 - Station 36-2	
03/26/2016	2016-152	16-127398	2306 AUTUMN DR	Invest with NJNG for odor of gas and found malfunctioning stove. Secured gas supply to stove, unit was naturally ventilated.	362 - Station 36-2	
03/27/2016	2016-153	16-128855	MM1014 GSP LOC NB	2 Car MVA, no fire units needed on scene. Scene TOT NJSP.	362 - Station 36-2	
03/29/2016	2016-154	16-131577	1930 MILTON AVE	RIT assignment with no action taken.	362 - Station 36-2	
03/30/2016	2016-155	16-132393	36 GALLANT FOX DR	Accidental alarm activation as per 36-1-66	362 - Station 36-2	
03/30/2016	2016-156	16-132425	44 PINE ST 217	Unattended cooking, handled by 36-3-66	362 - Station 36-2	
03/31/2016	2016-157	16-133573	1861 WAYSIDE RD	Waterflow alarm malfunction	362 - Station 36-2	
03/31/2016	2016-158	16-133629	MM1028 GSP LOC SB	1 vehicle MVA, vehicle into the woods with driver self extricated. Assist EMS and secure vehicle. Scene TOT NJSP.	362 - Station 36-2	
03/31/2016	2016-159	16-133831	SHAFTO	Wildland fire, approx. 4 acres. Crews utilized multiple hand lines for suppression and received mutual aid from: 36-1, 36-3, 36-4, TFOEM, NJFFS. NJFSS utilized 5 air drops and plowed dozer lines for control/containment. 36-30 notified for invest.	362 - Station 36-2	
04/02/2016	2016-160	16-136785	44 PINE ST 108	Alarm malfunction	362 - Station 36-2	
04/02/2016	2016-161	16-137483	1 PREMIUM OUTLETS BLVD	Heat detector malfunction, reset system.	362 - Station 36-2	
04/05/2016	2016-162	16-141447	674 TINTON AVE	Alarm testing, unintentional	362 - Station 36-2	
04/05/2016	2016-163	16-142084	1861 WAYSIDE RD	Alarm activated due to broken riser pipe. Secured water to sprinkler system.	362 - Station 36-2	
04/06/2016	2016-164	16-143379	MM150 State Route 18 NB	Cancelled en route	362 - Station 36-2	
04/06/2016	2016-165	16-143480	State Route 33	2 Car MVA, TT Vs. MONOC Ambulance. Apply speedy dry for fluid leak, scene TOT TFPD.	362 - Station 36-2	
04/06/2016	2016-166	16-143719	980 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
04/07/2016	2016-167	16-144370	MM1020 GSP LOC NB	Overheating vehicle.	362 - Station 36-2	
04/07/2016	2016-168	16-144397	4261 State Route 33	Unattended cooking.	362 - Station 36-2	
04/07/2016	2016-169	16-144656	1920 WAYSIDE RD	2 Car MVA with TT into house. No hazards in structure. Scene TOT TFPD.	362 - Station 36-2	
04/09/2016	2016-170	16-148247	MM1046 GSP LOC NB	2 Car MVA with no FD action needed. Scene TOT NJSP.	362 - Station 36-2	
04/11/2016	2016-171	16-149901	600 HOPE RD 129	Sprinkler head activated for unknown reason. Secure head, shut down system and notify 36-30.	362 - Station 36-2	
04/14/2016	2016-172	16-154816	19 HORSESHOE CT	Negative readings, advised to replace CO detector.	362 - Station 36-2	
04/14/2016	2016-173	16-156153	1181 SYCAMORE AVE	Cancelled en route, outdoor fire pit	362 - Station 36-2	
04/15/2016	2016-174	16-157930	State Route 36 EB	2 Car MVA, apply speedy dry for fluid leak, scene TOT TFPD	362 - Station 36-2	
04/17/2016	2016-175	16-160396	100B GSP North Exit Ramp	1 Car MVA, light pole down, no injuries. Removed pole from roadway, scene TOT NJSP	362 - Station 36-2	
04/18/2016	2016-176	16-161431	47 EDISON AVE	Cancelled en route, unattended cooking.	362 - Station 36-2	
04/21/2016	2016-177	16-166600	State Route 36	Assist D11 with small brush fire.	362 - Station 36-2	
04/21/2016	2016-178	16-166628	MM160 State Route 18 NB	MVA to Dist. 84 for brush fire. Assist D84 crews on scene for small fire.	362 - Station 36-2	
04/21/2016	2016-179	16-166973	4000 State Route 66	Alarm malfunction	362 - Station 36-2	

Only REVIEWED incidents included.

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
04/22/2016	2016-180	16-167697	15 KNOLLWOOD DR	Clothing on fire in a chair in the basement. Extinguished upon arrival, assist with ventilation and salvage/overhaul.	362 - Station 36-2	
04/22/2016	2016-181	16-168998	100 AUTUMN DR	Dispatched for odor of natural gas on 3rd floor hallway. Check all floors with negative reading/results. During invest, only noticed odor of paint.	362 - Station 36-2	
04/23/2016	2016-182	16-169827	MM1020 GSP LOC SB	Dispatched for vehicle fire. Check entire area-unfounded.	362 - Station 36-2	
04/23/2016	2016-183	16-170269	700 HOPE RD	Alarm company testing alarm system	362 - Station 36-2	
04/30/2016	2016-184	16-180762	700 HOPE RD 335	Alarm activated due to smoking in room 335.	362 - Station 36-2	
04/30/2016	2016-185	16-181065	700 HOPE RD	Cancelled per 36-3-66, alarm malfunction	362 - Station 36-2	
04/30/2016	2016-186	16-181617	28 GAIT CT	Dumpster fire contained to rubbish inside dumpster. Extinguished by FD personnel with no exposures.	362 - Station 36-2	
05/01/2016	2016-187	16-182698	MM1029 GSP LOC NB	Dispatched for odor of NG. Check entire area with negative results.	362 - Station 36-2	
05/02/2016	2016-188	16-183504	200 TORNILLO WAY	Duct detector activated. Invest and found RTU #1 rooftop unit burnt up. Secure power and gas to unit. Notify management to have repairs performed.	362 - Station 36-2	
05/02/2016	2016-189	16-184201	100B Parkway Off Ramp	Dispatched for vehicle, unfounded as per NJSP.	362 - Station 36-2	
05/03/2016	2016-190	16-185728	70 PINE ST 203	Smoke condition from extinguished dish towel fire due to cooking. Apartment naturally ventilated and alarm reset.	362 - Station 36-2	
05/03/2016	2016-191	16-185955	475 SHARK RIVER RD	Alarm malfunction, unknown source.	362 - Station 36-2	
05/05/2016	2016-192	16-188794	State Route 66	2 car MVA, found to be in Neptune Twp. Notify D34, apply speedy dry to fluid leak.	362 - Station 36-2	
05/06/2016	2016-193	16-189342	GREEN GRV	MVA, on Ocean Twp. Side, no FD serviced needed-scene TOT TFEMS	362 - Station 36-2	
05/06/2016	2016-194	16-190352	MM1018 GSP LOC NB	Dispatched for vehicle fire, found overheated brakes, no FD response needed.	362 - Station 36-2	
05/07/2016	2016-195	16-190732	700 HOPE RD	Cancelled en route	362 - Station 36-2	
05/07/2016	2016-196	16-191094	3000 ESSEX RD	Set off due to steam	362 - Station 36-2	
05/07/2016	2016-197	16-191502	70 PINE ST 203	Set off due to unattended cooking	362 - Station 36-2	
05/08/2016	2016-198	16-192864	112 CANNONBALL DR	Set off due to unattended cooking	362 - Station 36-2	
05/12/2016	2016-199	16-198281	700 HOPE RD	Set off by steam from shower	362 - Station 36-2	
05/12/2016	2016-200	16-198397	700 HOPE RD	Unintentional by vapor cigarette	362 - Station 36-2	
05/12/2016	2016-201	16-198400	95 SECRETARIAT CT	Set off due to burnt toast	362 - Station 36-2	
05/12/2016	2016-202	16-198888	3000 ESSEX RD	Faulty detector	362 - Station 36-2	
05/12/2016	2016-203	16-199003	MM1029 GSP LOC NB	Unfounded brush fire	362 - Station 36-2	
05/12/2016	2016-204	16-199049	MM1034 GSP LOC NB	Unfounded brush fire	362 - Station 36-2	
05/13/2016	2016-205	16-200506	100 TORNILLO WAY	Unintentional pull station activation	362 - Station 36-2	
05/14/2016	2016-206	16-201611	25 PINE ST	Smoke detector activated on division 1 hallway due to spray air freshener.	362 - Station 36-2	
05/15/2016	2016-207	16-204181	4060 ASBURY AVE 5	Alarm activated from steam due to cleaning	362 - Station 36-2	
05/16/2016	2016-208	16-204766	53 SAN ANITA DR	Negative readings, advised to replace detector.	362 - Station 36-2	
05/16/2016	2016-209	16-205597	4239 State Route 33	Vehicle fire partially extinguished by owner with dry chemical extinguisher. Access underhood and fully extinguish with water can.	362 - Station 36-2	
05/18/2016	2016-210	16-207939	1 HARRIER CT	Readings of 86 PPM. NJNG responded and secured source of CO.	362 - Station 36-2	
05/18/2016	2016-211	16-208148	300 COMMERCE DR	Unintentional alarm activation per 36-3-66	362 - Station 36-2	
05/19/2016	2016-212	16-209745	3000 ESSEX RD	Duct detector malfunction	362 - Station 36-2	
05/20/2016	2016-213	16-212113	4205 AUTUMN DR	Negative readings for CO. Was advised to replace detector.	362 - Station 36-2	
05/21/2016	2016-214	16-213237	1162 PINE BROOK RD	Cancelled en route per 36-3-66, see narrative below. 36-1 Matt Park was on 36-2-75	362 - Station 36-2	
05/22/2016	2016-215	16-214401	700 HOPE RD 409	Alarm activated due to steam from curling iron.	362 - Station 36-2	
05/22/2016	2016-216	16-214810	20 HACKAMORE CT	Smoke firm dryer due to burnt up belt. No FD action needed.	362 - Station 36-2	
05/23/2016	2016-217	16-217173	ASBURY AVE	3 Car MVA at intersection of Asbury Ave/Fox Chase Drive. Apply speedy dry and secure battery to vehicles.	362 - Station 36-2	
05/25/2016	2016-218	16-220277	235 HOPE RD	Cancelled en route	362 - Station 36-2	
05/25/2016	2016-219	16-220584	MM1020 GSP LOC SB	Fuel tank leak on vehicle. Apply speedy dry, scene TOT NJSP. 36-1 Derek Savoka on 36-2-75	362 - Station 36-2	
05/25/2016	2016-220	16-220657	1 RADIAC WAY	Alarm testing	362 - Station 36-2	

Only REVIEWED incidents included.

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
05/26/2016	2016-221	16-221115	MM1070 GSP LOC SB	Mutual Aid to Lincroft FD for vehicle fire. Dist 36 apparatus cancelled en route.	362 - Station 36-2	
05/26/2016	2016-222	16-222027	SHAFTO	2 Car MVA, assist EMS and apply speedy dry to fluid leak. Scene TOT TFPD.	362 - Station 36-2	
05/27/2016	2016-223	16-223149	1 RADAR AVE	Cancelled per 36-1-66.	362 - Station 36-2	
05/27/2016	2016-224	16-223348	46 PARK RD	Broken gas line inside warehouse area. Secure gas to building, ventilate, notify NJNG. 36-3-67 IC	362 - Station 36-2	
05/27/2016	2016-225	16-224729	4261 State Route 33 5M		362 - Station 36-2	
05/28/2016	2016-226	16-225387	2 CROP CT	Approx 4-5 gallons diesel leaking from loose fuel tank drain valve. Secure drain valve, apply speedy dry, notify condo association for cleanup. Ford F-250 (NJ) ZTU-14N	362 - Station 36-2	
05/28/2016	2016-227	16-227035	600 HOPE RD 315	Natural gas odor in room 315 with negative readings. Upon investigation, found exterior odor of gas IFO 1128 Pine Brook Road. Notify NJNG to respond. Scene TOT 36-3-66	362 - Station 36-2	
05/29/2016	2016-228	16-227911	1150 WAYSIDE RD	Fire drill-unintentional.	362 - Station 36-2	
05/29/2016	2016-229	16-228473	2 CENTRE PLZ	Pull station pulled by patient	362 - Station 36-2	
05/29/2016	2016-230	16-228667	4035 State Route 33 54	Assist EMS for a lift assist.	362 - Station 36-2	
05/30/2016	2016-231	16-229538	2 CENTRE PLZ	Faulty duct detector	362 - Station 36-2	
05/30/2016	2016-232	16-230429	78 SECRETARIAT CT	Odor of gas, scene TOT 36-1	362 - Station 36-2	
05/31/2016	2016-233	16-230874	119 DES MOINES CT	Unknown audible alarm, found to be an alarm on a portable air compressor, no FD services needed.	362 - Station 36-2	
06/02/2016	2016-234	16-235019	1 RADAR WAY	Cancelled en route	362 - Station 36-2	
06/02/2016	2016-235	16-235848	2500 SHAFTO RD	2 Vehicle MVA, 1 overturned with driver self extricated. Assist EMS.	362 - Station 36-2	
06/03/2016	2016-236	16-237670	24 EQUESTRIAN CT	Water leak from unit above due to leaking water heater. Water was secured to heater by homeowner prior to FD arrival. No electrical hazards present. Advised homeowner to contact condo association.	362 - Station 36-2	
06/04/2016	2016-237	16-239067	56 NEVILLE ST	Cancelled en route	362 - Station 36-2	
06/04/2016	2016-238	16-239511	1 PREMIUM OUTLETS BLVD 531	Small fire in engine compartment extinguished utilizing dry chem extinguisher and water can. 36-30 for invest.	362 - Station 36-2	
06/04/2016	2016-239	16-239574	4057 ASBURY AVE	Vehicle jumper cables smoking due to reversed polarity. No FD services needed.	362 - Station 36-2	
06/04/2016	2016-240	16-239943	700 HOPE RD	Smoking in rest room.	362 - Station 36-2	
06/05/2016	2016-241	16-240147	700 HOPE RD	Alarm malfunction	362 - Station 36-2	
06/05/2016	2016-242	16-240603	700 HOPE RD 322	Set off due to smoking in room 322	362 - Station 36-2	
06/05/2016	2016-243	16-240666	MM1102 GSP EXP NB	MVA overturned vehicle with fire. Extinguished fire without incident. Negative injuries.	362 - Station 36-2	
06/05/2016	2016-244	16-240842	27 PALOMINO PL	Dispatched for odor of gas, notify NJNG. Scene TOT 36-4 on scene.	362 - Station 36-2	
06/05/2016	2016-245	16-240894	700 HOPE RD	Alarm malfunction	362 - Station 36-2	
06/05/2016	2016-246	16-241394	2 CAVALERIE CT	Alarm malfunction	362 - Station 36-2	
06/05/2016	2016-247	16-241435	WAYSIDE	2 car MVA, apply speedy dry and secure batteries to both vehicles.	362 - Station 36-2	
06/06/2016	2016-248	16-242177	SYCAMORE	Cancelled en route.	362 - Station 36-2	
06/07/2016	2016-249	16-243689	600 HOPE RD	Dispatched for fire alarm with smoke condition. Upon arrival of 36-2-67, found electric fire pump with active fire from motor in boiler room. 36-2-67 knocked fire down with dry chem extinguisher. 36-2-90 arrived and along with 36-3-77 and 36-1-78, crews vented structure and performed overhaul. JCPL notified and invest was performed by 36-30 on scene.	362 - Station 36-2	
06/07/2016	2016-250	16-244345	CANNONBALL DR	Apply speedy dry to leak from gasoline can	362 - Station 36-2	
06/07/2016	2016-251	16-244450	98 LELAND TER	Dispatched for brush fire behind Leland Terrace. Found fire to the rear of Majestic Ave in Middletown. Crews utilized water cans and rakes to extinguish/overhaul fire.	362 - Station 36-2	
06/07/2016	2016-252	16-244649	4000 State Route 66	Alarm malfunction 5th floor mechanical room	362 - Station 36-2	
06/07/2016	2016-253	16-244690	516 MYRTLE AVE	Provide RIT services with no action needed/taken.	362 - Station 36-2	
06/09/2016	2016-254	16-247201	1 RADAR WAY	Cancelled en route	362 - Station 36-2	
06/09/2016	2016-255	16-247262	1029 SYCAMORE AVE	Dispatched for odor inside building. Assist with invest of HVAC units on roof. Scene TOT 36-1	362 - Station 36-2	
06/09/2016	2016-256	16-247295	1 RADAR WAY	Cancelled en route per 36-1	362 - Station 36-2	
06/10/2016	2016-257	16-250399	62 PHOENIX CT	Check area for odor of gasoline, Unfounded.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 7 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
06/10/2016	2016-258	16-250545	30 DES MOINES CT	Dispatched for unusual outdoor odor. property had driveway sealer applied	362 - Station 36-2	
06/10/2016	2016-259	16-250571	17 PHOENIX CT	Dispatched for unusual outdoor odor. property had driveway sealer applied.	362 - Station 36-2	
06/12/2016	2016-260	16-253451	864 SHREWSBURY AVE	Alarm malfunction	362 - Station 36-2	
06/12/2016	2016-261	16-253944	1 PREMIUM OUTLETS BLVD 533	2 foot X 2 foot mulch fire. Extinguished by FD.	362 - Station 36-2	
06/12/2016	2016-262	16-254385	8204 AUTUMN DR	Alarm not sounding upon arrival. Advised to contact maintenance.	362 - Station 36-2	
06/14/2016	2016-263	16-256683	GREEN GROVE RD	Cancelled en route per TFPD.	362 - Station 36-2	
06/14/2016	2016-264	16-257081	235 HOPE RD	Set off due to contractors on location.	362 - Station 36-2	
06/16/2016	2016-265	16-261019	2 BASSET CT	Extinguished dryer fire on arrival. Crews secured utilities to dryer and vented structure.	362 - Station 36-2	
06/17/2016	2016-266	16-261316	700 HOPE RD	Cancelled en route	362 - Station 36-2	
06/18/2016	2016-267	16-264917	700 HOPE RD	Alarm activated from smoking in the 1st floor mens room	362 - Station 36-2	
06/18/2016	2016-268	16-264953	4261 State Route 33	Alarm activated due to a blow dryer	362 - Station 36-2	
06/20/2016	2016-269	16-267220	235 HOPE RD	Cancelled en route	362 - Station 36-2	
06/20/2016	2016-270	16-268199	SHAFTO	Investigated for odor of gas, unfounded.	362 - Station 36-2	
06/21/2016	2016-271	16-269853	1158 WAYSIDE RD	Waterflow alarm malfunction	362 - Station 36-2	
06/21/2016	2016-272	16-269998	14 STEEPLE CHASE CT	Cancelled en route	362 - Station 36-2	
06/22/2016	2016-273	16-270461	750 HOPE RD	Cancelled en route	362 - Station 36-2	
06/22/2016	2016-274	16-270503	864 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
06/22/2016	2016-275	16-270797	4261 State Route 33	Alarm activated due to unattended cooking	362 - Station 36-2	
06/23/2016	2016-276	16-272511	1 RADAR WAY	Cancelled en route	362 - Station 36-2	
06/27/2016	2016-277	16-280802	1 PREMIUM OUTLETS BLVD 499	2 foot X 2 foot area of smoldering mulch, extinguished by FD on scene	362 - Station 36-2	
06/28/2016	2016-278	16-281931	126 WATER ST	Arming power lines, standby 36-2 as per 36-1 command.	362 - Station 36-2	
06/29/2016	2016-279	16-283126	51 PERIWINKLE CIR	Detector malfunction, advised homeowner to replace all detectors	362 - Station 36-2	
06/29/2016	2016-280	16-283714	44 PINE ST	Stand by 36-2 for water main repair at 44 Pine Street.	362 - Station 36-2	
06/29/2016	2016-281	16-284393	910 WAYSIDE RD	CO Alarm with negative readings. Advised homeowner to replace detectors.	362 - Station 36-2	
06/30/2016	2016-282	16-284940	700 HOPE RD	Cancelled en route	362 - Station 36-2	
07/01/2016	2016-283	16-287141	4261 State Route 33	Set off due to unattended cooking. 36-1 Matt Park on 36-2-60	362 - Station 36-2	
07/01/2016	2016-284	16-287940	30 PARK RD	Alarm malfunction	362 - Station 36-2	
07/01/2016	2016-285	16-288334	6 SIRE STAKES DR	Cancelled en route. 36-1 Kyle Johnson and Dave Grobhen at 36-2	362 - Station 36-2	
07/01/2016	2016-286	16-288336	66 EDISON AVE	Assist 36-1 with traffic control for power lines down. 36-1 Kyle Johnson and Dave Grobhen on 36-2-85	362 - Station 36-2	
07/02/2016	2016-287	16-289214	MM1042 GSP LOC NB	2 Car MVA with 1 subject entrapped. Crews removed R/F and R/R doors and R/S "B" post to gain access to subject in vehicle #2. Removed victim and turned over to ITFEMS. Apply speedy dry to fluid leak on vehicle #1.	362 - Station 36-2	
07/02/2016	2016-288	16-289349	39 PLAYERS CIR	Vehicle #1 Jeep Cherokee (NJ) M76-GNG		
07/04/2016	2016-289	16-294248	1 PINE ST	Vehicle #2 Kia Optima (NJ) L568461 (TEMP)	362 - Station 36-2	
07/04/2016	2016-290	16-294436	4060 ASBURY AVE 1	Alarm activated due to unattended cooking.	362 - Station 36-2	
07/05/2016	2016-291	16-295423	1 RADAR WAY	Fuel leak from fuel tank on vehicle. Apply speedy dry to confine leak.	362 - Station 36-2	
07/05/2016	2016-292	16-295976	47 WILLOW RD	Set off due to cleaning.	362 - Station 36-2	
07/06/2016	2016-293	16-298577	100 BEAUMONT CT	Cancelled en route	362 - Station 36-2	
07/07/2016	2016-294	16-299149	5130 W HURLEY POND RD	Requested for RIT services with no action needed/taken other than stand by for entry if needed. 36-1 Matt Park on 36-2-85.	362 - Station 36-2	
07/07/2016	2016-295	16-299799	30 PARK RD 2	Alarm malfunction in duct detector.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 8 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
08/05/2016	2016-335	16-349903	1205 AUTUMN DR	Faulty smoke detector. Notify management	362 - Station 36-2	
08/05/2016	2016-336	16-350352	WAYSIDE	Oil spill from pick up truck. Notify county road dept. to sand roadway. No FD services needed.	362 - Station 36-2	
08/05/2016	2016-337	16-351094	54 STEVEN AVE	Cancelled en route	362 - Station 36-2	
08/06/2016	2016-338	16-352379	MM1055 GSP LOC SB	Cancelled per NJSP	362 - Station 36-2	
08/07/2016	2016-339	16-353682	25 PINE ST 25	Faulty detector, negative readings. Advised management to replace detector	362 - Station 36-2	
08/08/2016	2016-340	16-355555	MM1063 GSP LOC SB	Unfounded as per 36-3-66	362 - Station 36-2	
08/08/2016	2016-341	16-356610	4236 State Route 33	Smoke from BBQ grill. No FD action needed.	362 - Station 36-2	
08/08/2016	2016-342	16-356783	2 KAREN DR	Arcing nightlight. Removed night light with no other hazards present	362 - Station 36-2	
08/09/2016	2016-343	16-357293	235 HOPE RD	Cancelled en route	362 - Station 36-2	
08/09/2016	2016-344	16-357475	11 CENTRE PLZ	Pull station on division 2 hallway activated, negative smoke/fire.	362 - Station 36-2	
08/10/2016	2016-345	16-359235	94 FRONTIER WAY	Broken water pipe. TFDPW is on scene & handling.	362 - Station 36-2	
08/10/2016	2016-346	16-359893	4261 State Route 33 11M	Unattended cooking.	362 - Station 36-2	
08/10/2016	2016-347	16-360037	4060 ASBURY AVE	Duct detector activated due to workers on location. 36-30 Notified for invest.	362 - Station 36-2	
08/11/2016	2016-348	16-361023	3004 ESSEX RD	Activated by workers on location	362 - Station 36-2	
08/11/2016	2016-348	360936	3 Phipps TER	Alarm malfunction	362 - Station 36-2	
08/13/2016	2016-350	16-364580	1 PHOENIX CT	Faulty smoke detector	362 - Station 36-2	
08/14/2016	2016-351	16-366370	SYCAMORE AVE	Cancelled en route	362 - Station 36-2	
08/14/2016	2016-352	16-366492	79 KYLE DR	Alarm malfunction	362 - Station 36-2	
08/14/2016	2016-353	16-366619	79 KYLE DR	Alarm malfunction	362 - Station 36-2	
08/15/2016	2016-354	16-368400	1028 WAYSIDE RD	Alarm malfunction.	362 - Station 36-2	
08/16/2016	2016-355	16-370076	HANCE	Cancelled per TFPD, vehicle GOA	362 - Station 36-2	
08/16/2016	2016-356	16-370586	4060 ASBURY AVE	Duct detector malfunction. 36-1 Ciani and Grobбен on 2-75	362 - Station 36-2	
08/16/2016	2016-357	16-370622	4060 ASBURY AVE 1	Duct detector malfunction. 36-1 Ciani and Grobбен on 2-75 36-30 Notified.	362 - Station 36-2	
08/17/2016	2016-358	16-371090	4060 ASBURY AVE 1	Cancelled en route per 36-30	362 - Station 36-2	
08/17/2016	2016-359	16-371956	NEWMAN SPGS		362 - Station 36-2	
08/18/2016	2016-360	16-372666	10 GARRISON DR	Unintentional keypad activation by homeowner.	362 - Station 36-2	
08/18/2016	2016-361	16-373589	1 NORMAN J FIELD WAY	Alarm set off by contractors	362 - Station 36-2	
08/19/2016	2016-362	16-374178	14 CORNELL CT	Cancelled en route	362 - Station 36-2	
08/19/2016	2016-363	16-374531	1213 SYCAMORE AVE	Alarm malfunction	362 - Station 36-2	
08/19/2016	2016-364	16-374772	4060 ASBURY AVE	Duct detector malfunction	362 - Station 36-2	
08/19/2016	2016-365	16-374811	4060 ASBURY AVE	Alarm malfunction. Scene TOT 36-31	362 - Station 36-2	
08/19/2016	2016-366	16-375083	105 APPLE ST	Cancelled en route	362 - Station 36-2	
08/19/2016	2016-367	16-375243	GILBERT	MVA cancelled en route	362 - Station 36-2	
08/19/2016	2016-368	16-375254	4118 State Route 33	One vehicle off the road into ditch with no occupants present--filed the scene. Scene TOT TFPD.	362 - Station 36-2	
08/20/2016	2016-369	16-377365	106 SAN ANITA DR	Negative readings, faulty detector	362 - Station 36-2	
08/21/2016	2016-370	16-378202	4261 State Route 33 20T	Unit 20T, unattended cooking.	362 - Station 36-2	
08/21/2016	2016-371	16-379379	1028 WAYSIDE RD	Alarm malfunction	362 - Station 36-2	
08/24/2016	2016-372	16-382997	3002 ESSEX RD	Waterflow alarm due to water leak in riser at division 5 stairwell.	362 - Station 36-2	
08/24/2016	2016-373	16-383141	10 VALENCIA DR	Faulty detector-negative readings.	362 - Station 36-2	
08/24/2016	2016-374	16-383311	590 SHREWSBURY AVE	Cancelled en route, unfounded.	362 - Station 36-2	
08/24/2016	2016-375	16-383887	980 SHREWSBURY AVE 6	Cancelled en route	362 - Station 36-2	
08/25/2016	2016-376	16-385407	766 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
08/26/2016	2016-377	16-387402	1 PREMIUM OUTLETS BLVD 747	Alarm malfunction. 36-1 Dave Ciani, Kyle Johnson, Dave Grobбен, Danielle Seymour on 36-2-75	362 - Station 36-2	
08/26/2016	2016-378	16-387702	9 SARATOGA CT	Alarm malfunction-negative readings	362 - Station 36-2	

Only REVIEWED incidents included.

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
08/27/2016	2016-379	16-388637	700 HOPE RD	Alarm malfunction	362 - Station 36-2	
08/27/2016	2016-380	16-388782	475 SHARK RIVER RD	Unknown alarm, reset prior to FD arrival	362 - Station 36-2	
08/27/2016	2016-381	16-389652	1 PREMIUM OUTLETS BLVD 201	Upon arrival, found 1 vehicle fully involved with exposure/extension to 3 other vehicles. Extinguished with hand lines from 36-2-75. 36-1, 36-3, 34-1 M/A at the scene.	362 - Station 36-2	
08/28/2016	2016-382	16-390984	3000 ESSEX RD	2 victims trapped on 4th floor. Secure power to elevator and release hydraulic pressure to remove victims at 1st floor. Secure power to elevator.	362 - Station 36-2	
08/29/2016	2016-383	16-392099	4060 ASBURY AVE 1	Unattended cooking.	362 - Station 36-2	
08/29/2016	2016-384	16-392459	980 SHREWSBURY AVE 8	Cancelled per 36-1-69	362 - Station 36-2	
08/29/2016	2016-385	16-392522	HOPE	Cancelled en route	362 - Station 36-2	
08/29/2016	2016-386	16-392554	106 WILLIAM ST	Cancelled per 36-3-66, no FD units needed.	362 - Station 36-2	
08/30/2016	2016-387	16-393676	4035 State Route 33		362 - Station 36-2	
08/30/2016	2016-388	16-394220	1 NORMAN J FIELD WAY	Cancelled en route	362 - Station 36-2	
08/30/2016	2016-389	16-394351	93 WIGWAM LN	Handled by 36-1	362 - Station 36-2	
08/31/2016	2016-390	16-395087	35 PHOENIX CT	Cancelled en route	362 - Station 36-2	
09/01/2016	2016-391	16-396919	864 SHREWSBURY AVE	Vehicle off the road with FD not needed. Assisted by 34-74	362 - Station 36-2	
09/01/2016	2016-392	16-397100	1801 JUMPING BROOK RD	Set off due to burnt toast.	362 - Station 36-2	
09/01/2016	2016-393	16-397183	1028 WAYSIDE RD	Odor of skunk	362 - Station 36-2	
09/04/2016	2016-394	16-402436	128 GARRISON DR	RIT Assignment and assist with overhaul.	362 - Station 36-2	
09/04/2016	2016-395	16-403803	102 ALLENHURST AVE	Handled by 36-1	362 - Station 36-2	
09/06/2016	2016-396	16-406471	3000 ESSEX RD	Cancelled en route, good intent call. Caller was unable to shut off fan on stovetop.	362 - Station 36-2	
09/07/2016	2016-397	16-406994	3000 ESSEX RD 502HL	Readings of 100PPM in basement area. Notify NJNG and source of CO was traced to HVAC contractors (AJ Petti) using acetylene torch in basement for prolonged period of time. Crews vented structure until no readings were obtained.	362 - Station 36-2	
09/07/2016	2016-398	16-407986	25 TRENT RD	Cancelled En Route	362 - Station 36-2	
09/08/2016	2016-399	16-408606	PINEBROOK	2 car MVA with 1 overturned. Assist EMS with patient care and apply speedy dry to fluid leak.	362 - Station 36-2	
09/08/2016	2016-400	16-408972	W PARK	Alarm activated due to burnt popcorn in microwave. Vented store and reset alarm	362 - Station 36-2	
09/08/2016	2016-401	16-409526	1 PREMIUM OUTLETS BLVD 441	Broken water main in basement. Secure water supply at street with no electrical hazards.	362 - Station 36-2	
09/08/2016	2016-402	16-409798	92 PERIWINKLE CIR	36-1 Dave Grobman on 36-2-90	362 - Station 36-2	
09/09/2016	2016-403	16-410478	980 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
09/09/2016	2016-404	16-410543	101 CORREGIDOR RD	Cancelled en route	362 - Station 36-2	
09/10/2016	2016-405	16-412235	100 TORMEE DR	Alarm malfunction	362 - Station 36-2	
09/10/2016	2016-406	16-412401	11 CENTRE PLZ	Alarm activated due to dust.	362 - Station 36-2	
09/10/2016	2016-407	16-412920	MM1122 GSP LOC NB	MVA, no injuries/hazards. FD units not needed.	362 - Station 36-2	
09/11/2016	2016-408	16-414445	242 MYRTLE AVE	RIT assignment, Cancelled en route per 34-66	362 - Station 36-2	
09/12/2016	2016-409	16-414844	308 4TH AVE	Provide RIT services with no action needed/taken.	362 - Station 36-2	
09/12/2016	2016-410	16-415193	980 SHREWSBURY AVE 8	Cancelled en route	362 - Station 36-2	
09/12/2016	2016-411	16-415979	3000 ESSEX RD	Alarm malfunction	362 - Station 36-2	
09/13/2016	2016-412	16-416683	36 JAKE DR	Sprinkler head activated by contractor using heat gun. Secure sprinkler system and power to unit.	362 - Station 36-2	
09/13/2016	2016-413	16-417187	SHAFTO RD	Overheated engine	362 - Station 36-2	
09/13/2016	2016-414	16-417667	4261 State Route 33 20	Unattended cooking	362 - Station 36-2	
09/14/2016	2016-415	16-418813	14 PARK RD	CO2 alarm activated. 36-2-67 invest and found no obvious CO2 leaks with O2 levels steady at 20.9%.	362 - Station 36-2	
09/14/2016	2016-416	16-419236	WAYSIDE RD	Cloud of concrete dust mistaken for smoke	362 - Station 36-2	
09/15/2016	2016-417	16-419840	235 HOPE RD	36-2 did not respond	362 - Station 36-2	
09/15/2016	2016-418	16-421017	700 HOPE RD	10X10 brush fire adjacent to front door.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 11 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
09/17/2016	2016-419	16-423273	MM1051 GSP LOC SB	County never dispatched 36-2	362 - Station 36-2	
09/17/2016	2016-420	16-423303	1028 WAYSIDE RD	Cancelled per 36-3-66	362 - Station 36-2	
09/17/2016	2016-421	16-423853	1 PREMIUM OUTLETS BLVD LOT 7	Trash can fire, extinguished by FD on scene	362 - Station 36-2	
09/18/2016	2016-422	16-425658	1 PREMIUM OUTLETS BLVD 533	4X4 Mulch fire, extinguished by FD on scene.	362 - Station 36-2	
09/18/2016	2016-423	16-425955	1 PREMIUM OUTLETS BLVD 747	Alarm malfunction	362 - Station 36-2	
09/19/2016	2016-424	16-427443	HANCE AVE	Cancelled en route	362 - Station 36-2	
09/19/2016	2016-425	16-427530	MM1064 GSP LOC NB	2 Separate MVA's with 2 vehicles that both spun out, negative injuries. Scene TOT NJSP. 36-1 Kyle Johnson on 36-2-85	362 - Station 36-2	
09/20/2016	2016-426	16-428261	6 VALENCIA DR	Cancelled en route per 36-31	362 - Station 36-2	
09/20/2016	2016-427	16-428951	1000 WAYSIDE RD	Homeowner was burning rubbish in a 55 gallon drum in the rear of his residence. Homeowner was advised to extinguish and did so upon arrival of FD.	362 - Station 36-2	
09/21/2016	2016-428	16-430538	1 PREMIUM OUTLETS BLVD 723	Alarm malfunction	362 - Station 36-2	
09/21/2016	2016-429	16-430890	GSP Exit 102 Ramp	Single vehicle MVA, vehicle off the ramp with negative injuries. Scene TOT NJSP.	362 - Station 36-2	
09/21/2016	2016-430	16-431011	13 NUTMEG CT	Secured stove and vented unit.	362 - Station 36-2	
09/22/2016	2016-431	16-432453	45 BEAUMONT CT	Assist 36-1 and found smoke from dryer with no extension.	362 - Station 36-2	
09/23/2016	2016-432	16-433006	259 FISHER AVE	Cancelled en route	362 - Station 36-2	
09/23/2016	2016-433	16-433366	70 APPLE ST	Cancelled en route.	362 - Station 36-2	
09/24/2016	2016-434	16-435867	25 TRENT RD	Gas was left on stove. Secure gas to stove and vent structure.	362 - Station 36-2	
09/24/2016	2016-435	16-435940	10 HOMESTEAD PKY E	Cancelled on arrival as per 36-1-67	362 - Station 36-2	
09/25/2016	2016-436	16-437326	3000 ESSEX RD SW406	Unattended cooking	362 - Station 36-2	
09/26/2016	2016-437	16-437712	HOPE	1 car MVA Vs. tree with no injuries. Secure battery to vehicle. Scene TOT TFPD.	362 - Station 36-2	
09/26/2016	2016-438	16-437879	MM1075 GSP EXP SB	Cancelled en route	362 - Station 36-2	
09/26/2016	2016-439	16-438402	MM1028 GSP LOC SB	Cancelled en route	362 - Station 36-2	
09/26/2016	2016-441	16-438698	1 PREMIUM OUTLETS BLVD 747	36-2-90 on location to investigate. Station clear and available, set off by mistake. Unit 747 36-30 notified. 36-1 D Evankow and K Johnson on 36-2-90	362 - Station 36-2	
09/26/2016	2016-442	16-438796	13 JOCKEY LN	Dispatched for outside odor of smoke found to be coming from BBQ grill. 36-30 on scene for invest. 36-1 K Johnson and D Evankow on 36-2-75	362 - Station 36-2	
09/26/2016	2016-443	16-438832	1 PREMIUM OUTLETS BLVD 7	Alarm malfunction. 36-1 K. Johnson and D. Evankow on 36-2-90	362 - Station 36-2	
09/27/2016	2016-444	16-439991	1 PREMIUM OUTLETS BLVD 7	Alarm malfunction. 36-1 Matt Hamilton on 36-2-75	362 - Station 36-2	
09/28/2016	2016-445	16-441663	2960 SHAFTO RD	1 vehicle MVA, overturned off the road. Victim self extricated, scene TOT PD.	362 - Station 36-2	
09/28/2016	2016-446	16-441739	700 HOPE RD	2 car MVA, 1 driver entrapped in vehicle #1. Crews utilized Hurst tools to remove all 4 doors and B posts to remove victim and TOT EMS. Apply speedy dry to fluid leak from vehicle.	362 - Station 36-2	
09/29/2016	2016-447	16-442755	MM1050 GSP LOC NB	Vehicle #1 Mazda Protege NJ E46-GZZ		
09/29/2016	2016-448	16-442832	56 PLUM ST	Vehicle #2 GMC Canyon Pick UP Truck NJ N/A	362 - Station 36-2	
09/30/2016	2016-449	16-443989	1 PREMIUM OUTLETS BLVD 4	MVA-unfounded	362 - Station 36-2	
10/02/2016	2016-450	16-445943	3000 ESSEX RD Northshore	Cancelled en route, handled by 36-4	362 - Station 36-2	
10/02/2016	2016-452	16-447002	State Route 33	Handled by 36-1	362 - Station 36-2	
10/02/2016	2016-451	16-447024	3000 ESSEX RD Northshore	Alarm malfunction, 7th floor, mechanical room	362 - Station 36-2	
10/02/2016	2016-453	16-447312	State Route 18	Cancelled en route.	362 - Station 36-2	
10/02/2016	2016-454	16-447473	197 HANCE AVE	Alarm malfunction, 7th floor, mechanical room	362 - Station 36-2	
				Assist and found alarm malfunction	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 12 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
10/03/2016	2016-455	16-449635	70 PINE ST	1 subject trapped in elevator #1 on division 1. Schindler elevator technician also on scene. Assist with opening elevator door to remove subject. Scene TOT building management.	362 - Station 36-2	
10/05/2016	2016-456	16-451911	588 SHREWSBURY AVE	36-1 D. Evankow, A. Lay, D. Richards on 36-2-85	362 - Station 36-2	
10/05/2016	2016-457	16-452225	1 RADAR WAY	Water flow alarm malfunction-silenced prior to arrival.	362 - Station 36-2	
10/05/2016	2016-458	16-452417	175 DRIFT RD	Water flow alarm malfunction	362 - Station 36-2	
10/06/2016	2016-459	16-453417	1500 ALLAIRE AVE	Upon arrival found batteries from drone being charged on a desk. Batteries ignited and were extinguished by employee on location. Crews assisted with venting and reset alarm system. 36-30 & 36-31 on scene for the investigation.	362 - Station 36-2	
10/06/2016	2016-460	16-453441	70 PINE ST	Provide RIT services with no action taken	362 - Station 36-2	
10/06/2016	2016-461	16-454148	4 HARTFORD DR 2	As per 36-3-66, alarm company working on sprinkler system	362 - Station 36-2	
10/07/2016	2016-462	16-455225	MM1020 GSP LOC SB	Residual smoke from HVAC repair	362 - Station 36-2	
10/07/2016	2016-463	16-455330	MM1057 GSP EXP SB	Invest and found 2 areas of smoldering grass, 104.5 SB and 102.0 SB. Crews utilized water can extinguishers to wet area down. Both scenes TOT NJSP	362 - Station 36-2	
10/08/2016	2016-464	16-456883	3000 ESSEX RD SC304	Steam from overheating vehicle.	362 - Station 36-2	
10/08/2016	2016-465	16-457455	700 HOPE RD	Smoke from unattended cooking. As per security, oven fire was extinguished by Seabrook personnel on scene.	362 - Station 36-2	
10/08/2016	2016-466	16-457601	5298 ASBURY AVE	Alarm activated due to smoke machine is use in the banquet room	362 - Station 36-2	
10/08/2016	2016-467	16-457687	700 HOPE RD	Alarm due to power failure	362 - Station 36-2	
10/09/2016	2016-468	16-458195	4261 State Route 33 24T	Alarm activated due to smoke machine is use in the banquet room	362 - Station 36-2	
10/10/2016	2016-469	16-459961	15 ALPINE TRL	Alarm due to unattended cooking.	362 - Station 36-2	
10/10/2016	2016-470	16-459968	25 TRENT RD	Alarm due to unattended cooking	362 - Station 36-2	
10/11/2016	2016-471	16-460485	4118 State Route 33	Alarm activated due to homeowner replacing battery. 36-1 D. Evankow on 36-2-90	362 - Station 36-2	
10/11/2016	2016-472	16-460795	864 SHREWSBURY AVE	Steam from storm drain	362 - Station 36-2	
10/11/2016	2016-473	16-461478	26 RICHMOND CT	Cancelled en route	362 - Station 36-2	
10/14/2016	2016-474	16-465536	MM1020 GSP LOC NB	Smoke condition due to unattended cooking.	362 - Station 36-2	
10/17/2016	2016-475	16-469952	1213 SYCAMORE AVE	Cancelled en route	362 - Station 36-2	
10/17/2016	2016-476	16-469984	524 WARDELL RD	Alarm activated due to steam cleaning	362 - Station 36-2	
10/17/2016	2016-477	16-470082	44 PINE ST	Alarm activated due to burnt popcorn in microwave	362 - Station 36-2	
10/17/2016	2016-478	16-470752	44 PINE ST	Alarm activated due to burnt toast. 36-1 M. Park on 36-2-90	362 - Station 36-2	
10/18/2016	2016-479	16-471379	4261 State Route 33	Alarm malfunction	362 - Station 36-2	
10/19/2016	2016-480	16-473705	3000 ESSEX RD	Alarm activated due to curling iron	362 - Station 36-2	
10/19/2016	2016-481	16-473885	State Route 36	Alarm due to smoke from cooking without exhaust fan running	362 - Station 36-2	
10/20/2016	2016-482	16-475414	2556 GUAM LN 3801	Cancelled per NJSP	362 - Station 36-2	
10/21/2016	2016-483	16-476302	4261 State Route 33 8A	Cancelled en route	362 - Station 36-2	
10/24/2016	2016-484	16-480800	1 PREMIUM OUTLETS BLVD	Alarm activated due to unattended cooking	362 - Station 36-2	
10/24/2016	2016-485	16-481149	100 TORNILLO WAY	Handled by 36-1	362 - Station 36-2	
10/25/2016	2016-486	16-482336	MM1020 GSP LOC NB	Cancelled en route per TFPD	362 - Station 36-2	
10/25/2016	2016-487	16-482439	5298 ASBURY AVE	Dispatched for bus fire, unfounded.	362 - Station 36-2	
10/25/2016	2016-488	16-483346	MM1041 GSP	Alarm malfunction	362 - Station 36-2	
10/25/2016	2016-489	16-483565	17 RICHMOND CT	Arrived to find vehicle fully involved. Crew utilized 1.75" hand line for extinguishment. Vehicle TOT NJSP	362 - Station 36-2	
10/26/2016	2016-490	16-484312	2 ALMAR AVE	Check and found slight odor on division 2 of #17. NJNG responded. also checked #19 and #23 with negative results. Source was unfounded.	362 - Station 36-2	
10/27/2016	2016-491	16-485187	SR 18 SOUTH	Cancelled as per 36-30	362 - Station 36-2	
10/27/2016	2016-492	16-485815	620 SHREWSBURY AVE	MVA 1 vehicle overturned with no occupant. Driver fled on foot. Secure battery to vehicle with no other hazards. Scene TOT PD.	362 - Station 36-2	
				Odor of gas from blow off valve	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 13 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
10/28/2016	2016-493	16-486911	3230 SHAFTO RD	Car Vs. Trailer MVA. Provide BLS for leg injury and assist 36-23. Secure battery and apply speedy dry to fluid leak.	362 - Station 36-2	
10/28/2016	2016-494	16-486982	106 APPLE ST	Alarm activated due to unattended cooking	362 - Station 36-2	
10/28/2016	2016-495	16-487773	2 OAK LEAF LN	Alarm activated due to unattended cooking.	362 - Station 36-2	
10/29/2016	2016-496	16-489276	MM1022 GSP LOC SB	1 Car MVA overturned with occupant self extricated, negative injuries. Scene TOT NJSP.	362 - Station 36-2	
10/31/2016	2016-497	16-491703	106 APPLE ST	Cancelled as per 36-1-67	362 - Station 36-2	
11/01/2016	2016-498	16-493439	197 HANCE AVE	Assist with ventilation for smoke condition	362 - Station 36-2	
11/02/2016	2016-499	16-495101	600 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
11/02/2016	2016-500	16-495292	MM1023 GSP LOC SB	Patient extricated by bystanders, fire extinguished with dry chem prior to FD arrival. Assist EMS.	362 - Station 36-2	
11/03/2016	2016-501	16-496177	105 GSP South	1 car MVA with ejection. Assist EMS and check for injuries. Scene TOT NJSP. 36-2-85 got stuck in median and had to be winched out by Central Towing.	362 - Station 36-2	
11/03/2016	2016-502	16-496230	101 CORREGIDOR RD	Cancelled en route	362 - Station 36-2	
11/03/2016	2016-503	16-496232	HOPE	Cancelled en route	362 - Station 36-2	
11/03/2016	2016-504	16-497431	41 KYLE DR	Detector activated due to a candle	362 - Station 36-2	
11/05/2016	2016-505	16-499443	4261 State Route 33	Unattended cooking	362 - Station 36-2	
11/05/2016	2016-506	16-499449	4070 ASBURY AVE C	Pull station pulled by a child.	362 - Station 36-2	
11/06/2016	2016-507	16-501379	ASBURY AVE	2 car MVA, apply speedy dry to fluid leak	362 - Station 36-2	
11/06/2016	2016-508	16-501393	9 WHITE BIRCH CT	Negative readings, faulty detector	362 - Station 36-2	
11/07/2016	2016-509	16-502072	90 PARK RD	Cancelled en route	362 - Station 36-2	
11/07/2016	2016-510	16-502081	1129 HOPE RD	Electrical fire near battery of dump truck. Extinguished by FD.	362 - Station 36-2	
11/07/2016	2016-511	16-503219	MM1121 GSP LOC NB	Cancelled en route, call is in Middletown with D31 units on scene	362 - Station 36-2	
11/08/2016	2016-512	16-503489	70 PINE ST 318	Water heater leak in apt 318, secured water. Secured electric service in 218 and 118 due to water ingress. Maintenance notified.	362 - Station 36-2	
11/08/2016	2016-513	16-504138	864 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
11/10/2016	2016-514	16-507504	2 BOISE CT	Negative readings, faulty detector	362 - Station 36-2	
11/11/2016	2016-515	16-508023	MM1050 GSP LOC NB	2 car MVA with 1 overturned. Assist EMS with patient care.	362 - Station 36-2	
11/11/2016	2016-516	16-508695	6000 ASBURY AVE	200X100 brush fire due to down power lines. FD extinguished and notified JCP&L and Conrail for power wires.	362 - Station 36-2	
11/11/2016	2016-517	16-509059	4060 ASBURY AVE 1	Alarm activated due to smoke from cleaning oven	362 - Station 36-2	
11/13/2016	2016-518	16-511503	SHAFTO RD	MVA cancelled by PD 36-48.	362 - Station 36-2	
11/14/2016	2016-519	16-512816	27 RAMBLING MEADOWS CT	Cancelled en route	362 - Station 36-2	
11/15/2016	2016-520	16-514741	90 PARK RD	Alarm activated in employee break room, reset prior to FD arrival.	362 - Station 36-2	
11/16/2016	2016-521	16-514982	4060 ASBURY AVE	Unattended cooking	362 - Station 36-2	
11/16/2016	2016-522	16-515312	44 PINE ST 251	Unattended cooking	362 - Station 36-2	
11/16/2016	2016-523	16-515639	4070 ASBURY AVE	Pull station by child, in hall salon next door.	362 - Station 36-2	
11/17/2016	2016-524	16-517921	MM1077 GSP EXP SB	1 car MVA, Assist EMS with patient care	362 - Station 36-2	
11/19/2016	2016-525	16-520945	26 PHOENIX CT	Negative readings, advised homeowner to replace detector	362 - Station 36-2	
11/19/2016	2016-526	16-521017	6000 ASBURY AVE	Unattended outdoor bon fire to the rear of the property, multiple wood pallets. Extinguished by FD, scene TOT TFPD	362 - Station 36-2	
11/20/2016	2016-527	16-521872	MM1050 GSP LOC NB	Small engine compartment fire, extinguished by FD using water can.	362 - Station 36-2	
11/20/2016	2016-528	16-521941	3002 ESSEX RD	Unattended cooking	362 - Station 36-2	
11/20/2016	2016-529	16-522211	6201 AUTUMN DR	Alarm malfunction	362 - Station 36-2	
11/20/2016	2016-530	16-522255	5298 ASBURY AVE	Alarm malfunction	362 - Station 36-2	
11/20/2016	2016-531	16-522300	3208 AUTUMN DR	Alarm malfunction	362 - Station 36-2	
11/22/2016	2016-532	16-524527	GSP South	Small brush fire extinguished by FD. Mutual aid from D34	362 - Station 36-2	
11/22/2016	2016-533	16-524935	30 BASSET CT	Faulty smoke detector	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 14 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
11/23/2016	2016-534	16-525461	GSP	5X5 brush fire, extinguished by FD	362 - Station 36-2	
11/23/2016	2016-535	16-526209	1409 W PARK AVE	Fire drill was conducted without any notifications made.	362 - Station 36-2	
11/24/2016	2016-536	16-527323	7312 AUTUMN DR	Extinguished oven fire with no extension. Opened windows for ventilation	362 - Station 36-2	
11/24/2016	2016-537	16-527644	16 FARMEDGE LN	Cancelled en route per 36-4-67	362 - Station 36-2	
11/24/2016	2016-538	16-527846	44 PINE ST 111	Alarm malfunction room 111. Management notified for repair.	362 - Station 36-2	
11/24/2016	2016-539	16-527874	44 PINE ST 111	Alarm malfunction. Advised management to post fire with due to system being on test for 12 hours. 36-30 notified	362 - Station 36-2	
11/26/2016	2016-540	16-530295	MM1050 GSP Southbound	Cancelled per NJSP-overheat.	362 - Station 36-2	
11/28/2016	2016-541	16-532921	114 SPRINGDALE AVE 2	Assist with gas leak. Gas to faulty dryer secured by NJNG.	362 - Station 36-2	
11/28/2016	2016-542	16-533716	3202 AUTUMN DR	Oil in deep fryer caught fire while attempting to pre-heat. FD extinguished with water can to the outside of the fryer.	362 - Station 36-2	
11/29/2016	2016-543	16-534256	70 REEDS RD	Assist with tracing source of odor to an overheated refrigerator in the basement.	362 - Station 36-2	
11/30/2016	2016-544	16-535569	44 PINE ST	Alarm malfunction	362 - Station 36-2	
11/30/2016	2016-545	16-536392	DEAL	2 car MVA, FD services not needed.	362 - Station 36-2	
11/30/2016	2016-546	16-536452	NEWMAN SPGS	Cancelled en route, call is in Middletown	362 - Station 36-2	
12/01/2016	2016-547	16-537159	90 PARK RD 423	Alarm activated due to unattended cooking.	362 - Station 36-2	
12/03/2016	2016-548	16-540579	1861 WAYSIDE RD	Alarm malfunction	362 - Station 36-2	
12/03/2016	2016-549	16-541620	68 DEER PATH CT	Assist with fire suppression and overhaul.	362 - Station 36-2	
12/05/2016	2016-550	16-543287	1201 S State Route 35	Provide RIT services with no action taken.	362 - Station 36-2	
12/05/2016	2016-551	16-543472	MM1014 GSP LOC SB	Cancelled per NJSP, overheat.	362 - Station 36-2	
12/05/2016	2016-552	16-544037	15 PARK RD	Cancelled en route	362 - Station 36-2	
12/08/2016	2016-553	16-548342	3002 ESSEX RD	Cancelled en route	362 - Station 36-2	
12/09/2016	2016-554	16-549529	4060 ASBURY AVE	Cancelled en route	362 - Station 36-2	
12/09/2016	2016-555	16-549707	524 WARDELL RD	Cancelled en route	362 - Station 36-2	
12/09/2016	2016-556	16-550241	100 TORNILLO WAY	Cancelled en route	362 - Station 36-2	
12/10/2016	2016-557	16-551477	1 PREMIUM OUTLETS BLVD 422	Alarm malfunction	362 - Station 36-2	
12/12/2016	2016-558	16-554109	1861 WAYSIDE RD	Alarm malfunction	362 - Station 36-2	
12/12/2016	2016-559	16-554319	56 PARK RD	Cancelled en route	362 - Station 36-2	
12/12/2016	2016-560	16-554745	864 SHREWSBURY AVE	Cancelled en route	362 - Station 36-2	
12/13/2016	2016-561	16-557098	44 PINE ST	Alarm reset prior to FD arrival	362 - Station 36-2	
12/14/2016	2016-562	16-558409	542 SHREWSBURY AVE	Cancelled per 36-4-67	362 - Station 36-2	
12/14/2016	2016-563	16-558625	MM1080 GSP EXP NB	Cancelled per 36-1-67	362 - Station 36-2	
12/15/2016	2016-564	16-559354	1 PREMIUM OUTLETS BLVD	Unattended cooking	362 - Station 36-2	
12/15/2016	2016-565	16-560270	31 PARK RD	Pull station hit by baseball	362 - Station 36-2	
12/16/2016	2016-566	16-560775	1861 WAYSIDE RD		362 - Station 36-2	
12/16/2016	2016-567	16-561008	1028 WAYSIDE RD		362 - Station 36-2	
12/16/2016	2016-568	16-561419	3000 ESSEX RD	Cancelled en route per 36-30. Alarm system being tested	362 - Station 36-2	
12/16/2016	2016-569	16-561726	MM1050 GSP LOC SB	Cancelled upon arrival as per 36-1-67, FD not needed	362 - Station 36-2	
12/17/2016	2016-570	16-562489	9 SHORE RD	RIT assignment with no action taken.	362 - Station 36-2	
12/17/2016	2016-571	16-562803	MM1026 GSP LOC NB	1 car MVA into tree. FD/EMS not needed as per command.	362 - Station 36-2	
12/18/2016	2016-572	16-563876	5298 ASBURY AVE	2 broken sprinkler pipes.	362 - Station 36-2	
12/18/2016	2016-573	16-564846	MM150 State Route 18 SB	Cancelled en route	362 - Station 36-2	
12/19/2016	2016-574	16-565460	730 HOPE RD	Cancelled en route	362 - Station 36-2	
12/19/2016	2016-575	16-565685	20 IMPERIAL CT	Handled by 36-1	362 - Station 36-2	
12/20/2016	2016-576	16-566837	31 S POINTE CIR	Handled by 36-1 and 34-1.	362 - Station 36-2	
12/21/2016	2016-577	16-569216	4060 ASBURY AVE 1	Partially extinguished engine compartment fire, fully extinguished by FD.	362 - Station 36-2	

Only REVIEWED incidents included.



emergencyreporting.com

Doc Id: 830

Page # 15 of 16

Incident Date	Incident #	Run Number	Address	Narrative	Station	Zone
12/22/2016	2016-578	16-570701	6000 ASBURY AVE	Cancelled en route 2 car MVA, extricate passenger of vehicle #1. Apply speedy dry to fluid leak on vehicle #2.	362 - Station 36-2	
12/22/2016	2016-579	16-570901	W PARK	Vehicle #1 Ford Explorer (NJ) Z57-GEY Vehicle #2 Ford F150 (NJ) WLB-87G	362 - Station 36-2	
12/23/2016	2016-580	16-572613	2915 HAYES ST	Automatic Aid from 36-1, 36-3, 36-4	362 - Station 36-2	
12/23/2016	2016-581	16-573084	3000 ESSEX RD	Dispatched for RIT and cancelled en route	362 - Station 36-2	
12/24/2016	2016-582	16-573274	234 NORWOOD AVE	Alarm activated due to steam from water pipe leak.	362 - Station 36-2	
12/24/2016	2016-583	16-573813	5101 AUTUMN DR	Provide RIT services with no action taken.	362 - Station 36-2	
12/24/2016	2016-584	16-574245	7111 AUTUMN DR	Smoke in hallway due to grease in oven in apt, 5101. Vented hallway, reset alarm.	362 - Station 36-2	
12/24/2016	2016-585	16-574340	60 PHOENIX CT	Gas odor in hallway of building 7. NJNG traced source to apt. 7111 and found stove left in on position. Shut stove off and building was naturally ventilated.	362 - Station 36-2	
12/25/2016	2016-586	16-574471	1861 WAYSIDE RD	Gas leak from furnace. NJNG on scene shut gas supply to furnace.	362 - Station 36-2	
12/26/2016	2016-587	16-575947	APPLE	Waterflow alarm malfunction	362 - Station 36-2	
12/27/2016	2016-588	16-577663	MM1090 GSP EXP NB	Cancelled en route	362 - Station 36-2	
12/30/2016	2016-589	16-581298	3000 ESSEX RD	Cancelled en route, F.O.T.S. 36-1 Matt Park on 36-2-75	362 - Station 36-2	

Only REVIEWED incidents included.